oveCI)	fication sheet	Product Potaile
- p	rication sneet	Product Details
Brand and	d Model	
	Brand	Belling
	Sub-brand	Farmhouse
ummary	Model	Farmhouse 60G
ullilliai y		
	Product Type	60cm Gas Range Cooker
		60cm Gasl Range Cooker With A 4 Burner Gas
	Short product description	Hob, Conventional Gas Oven & Electric Grill an
		Conventional Gas Main Oven
Cey Pr	oduct Benefits	
	Benefit 1	2 Ovens With 107L Total Cooking Capacity
	Benefit 2	4 Burner Gas Hob With 3kW Rapid Burner
	Benefit 3	Conventional Gas Main Oven
	Benefit 4 Benefit 5	Maxi Clock™ - LED Touch Control Programme 13Amp Plug Connection
	Benefit 6	Full Width Grill Pan & Handle
	Benefit 7	Fixed Rate Electric Grill
	Benefit 8	Easy Clean Enamel Surfaces
	Benefit 9	Cast Iron Pan Supports
	Benefit 10	A Rated Ovens
	Product Type	Range Cooker
	Integrated or freestanding Fuel	Freestanding
	Number of ovens	Gas 2
	Warranty period	1 Year Parts & 1 Year Labour
	International market	T Teal Falls & T Teal Eabour
ob layοι		
	(diagram to be assigned)	2 4
	(diagram to be assigned)	1 3
avity lay	/out	
		1
	(diagram to be assigned)	2
lob		
	Uah aumman	4 Can Burnara
	Hob summary	4 Gas Burners
	No of burners/elements	4
	Hotplate type	Pressed Metal
	Controls position	Fascia
Gas h		C (4.0)
	Burner 1 (kW)	Small (1.0) Medium (2.0)
	Burner 2 (kW) Burner 3 (kW)	Rapid (3.0)
	Burner 4 (kW)	Medium (2.0)
	Burner 5 (kW)	riculum (2.0)
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports	
	Cast iron pan supports	Yes
	Enamel burner caps	V
	Matte burner caps	Yes
	Flat burner caps	Voc
	Flat burner caps Profiled burner caps	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates	Yes
	Flat burner caps Profiled burner caps	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device)	
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim	Yes
	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid Handle / Front Trim Lid auto shut off	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close ic hob	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close ic hob	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close ic hob Element 1 (kW)	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close Tic hob Element 1 (kW) Element 2 (kW)	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close Tic hob Element 1 (kW) Element 2 (kW) Element 3 (kW)	Yes
Electr	Flat burner caps Profiled burner caps Enamel Clamp plates Matte clamp plates Push button ignition (battery) Push button ignition (mains) Automatic ignition Thermocouples (Flame safety device) Glass lid with auto shut off Lid / Type Lid Handle / Front Trim Lid auto shut off Lid soft close ic hob Element 1 (kW) Element 2 (kW)	Yes

Brand an	d Model	
	Brand	Belling
	Sub-brand Model	Farmhouse Farmhouse 60G
Summary		Farmhouse 60G
,		60cm Cas Bango Cooker
	Product Type	60cm Gas Range Cooker
		60cm Gasl Range Cooker With A 4 Burner Gas
	Short product description	Hob, Conventional Gas Oven & Electric Grill and
		Conventional Gas Main Oven
	Central on/off key Hot hob light	
	Individual residual Heat Indicators	
	Control type (rotary or touch)	
	Digital power display	
	Power levels Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function Presets	
	Auto heat up	
	Auto stand by	
	Minute minder	
	Timer Function Bridge Function / Griddle Zone	
	Easy clean ceramic glass surface	
Carrier 4	1 3	
Cavity 1	2 3 2 4	
	Position	Тор
	Main/second/third/fourth oven Function	Second Conventiona Gasl oven and Electric grill
	Fuel	Gas/Electric Gas/Electric
	No. of functions	2
	Programmable oven	
Gas o	ven/grill Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	Yes
	Automatic ignition	
Flects	Flame safety device ric oven/grill	Yes
Liccu	Fixed rate electric grill	Yes
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan) Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only Slow cook	
	Pizza function	
	Keep warm/plate warm function	
	Bread proving	
	Pie setting Meat probe	1
	Rapid heat	
	Pyrolytic function	
	Pre-set oven setting Energy rating	۸
Cavit	y features	A
,	Actual capacity (litres)	41
	Usable capacity (litres)	35 200 v 470 v 420
	Usable Cavity dimensions (HxWxD mm)	200 x 470 x 420
	Power (kW)	Oven (1.7) Grill (1.85)
	Energy consumption (Kwh)	1.20 (Conventional)
	No of shelves	1
	No of shelf positions Telescopic shelves - Fixed	4
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	
	Usable area of shelves (WxD mm)	457mm x 305mm
	Oven light / Type	Facy cloan onamol / Plack
Door	Interior finish / colour	Easy clean enamel / Black
, - 	Door type	Metal
	Door opening	Drop-down
	Door opening Hinge type Arrest position	Drop-down

Brand and	d Model	
	Brand	Belling
	Sub-brand Model	Farmhouse Farmhouse 60G
Summary		Farmhouse 60G
Summary		
	Product Type	60cm Gas Range Cooker
		60cm Gasl Range Cooker With A 4 Burner Gas
	Short product description	Hob, Conventional Gas Oven & Electric Grill and
		Conventional Gas Main Oven
	Viewing window	No
	Door glazing number(inc. outer if applicable)	N/A
	Door colour	Description colour
	Handle style / Colour	Metal, chrome
	Door outer glass Inner glass	
	Cladding type	
	Cladding style / Colour	
	Door features	
	Screened branding	
	Badge brand	Belling
	1 1 2	
Cavity 2	3 3	
	2 2 4	
	Position	Bottom
	Main/second/third/fourth oven	Main
	Function	Conventional Oven
	Fuel	Gas
	No. of functions	2
Gas o	Programmable oven ven/grill	
345 0	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	Yes
	Automatic ignition	
Floor	Flame safety device	Yes
Electi	ric oven/grill Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Light only	
	Slow cook Pizza function	Yes
	Keep warm/plate warm function	
	Bread proving	
	Pie setting	
	Meat probe	
	Rapid heat	
	Pyrolytic function Pre-set oven setting	
	Energy rating	A+
Cavity	y features	700
	Actual capacity (litres)	72
	Usable capacity (litres)	72
	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 420
	Power (kW) Energy consumption (Kwh)	Oven (2.5) 1.5Kwh (Conventional)
	No of shelves	1.5kwn (conventional)
	No of shelf positions	12
	Telescopic shelves - Fixed	
	Telescopic shelves - Removable/adjustable	
	No of telescopic fixing positions	457 205
	Usable area of shelves (WxD mm) Oven light / Type	457mm x 305mm Yes x 1 Standard
	Interior finish / colour	Easy clean enamel / Black
Door		
	Door type	Metal panel/glass viewing window
	Door opening	Side opening
	Hinge type	
	Arrest position Viewing window	Vac
	Door glazing number(inc. outer if applicable)	Yes 2
	Door colour	Description colour
	Handle style / Colour	Metal, chrome
	Door outer glass	Yes x 1
	Inner glass	Yes x 1
	Cladding type	
	Cladding style / Colour	
<u> </u>	Door features	1

Brand and	d Mandal	
		Polling
	Brand Sub-brand	Belling Farmhouse
	Model	Farmhouse 60G
Summary		Turrinouse ood
,		
	Product Type	60cm Gas Range Cooker
		60 6 10 6 1 1171 4 4 0 6
	Chart product description	60cm Gasl Range Cooker With A 4 Burner Gas
	Short product description	Hob, Conventional Gas Oven & Electric Grill and Conventional Gas Main Oven
		Conventional Gas Main Oven
	Screened branding	
	Badge brand	
Fascia		
Fascia	features	
	Number of knobs	6
	Style of knob - colour & type	Black plastic body, chrome plastic cap
	Bezel - colour & type	Chrome plastic
	Oven/Grill markings location (knob, bezel, facia)	Black print, on bezel
	Fascia material	Metal
	Fascia colour	Black gloss
	Cladding type	
	Cladding style/colour	
	Fascia cooling system	Yes
	Screened Branding or Model Name	
Time ar	Badge / Brand	
Timer	Machanical timer (ninger)	
	Mechanical timer (pinger)	
	Analogue clock/programmer	
	LED clock/minute minder - cavity, size and colour	Cavity 2, large, red
	· · · · · · · · · · · · · · · · · · ·	· -
	LED clock/programmer - cavity, size and colour	
	LED clock/programmer cook to off - cavity, size and	
	Colour	
	Touch control clock/programmer - cavity, size and colour	
	Touch control clock/programmer 'Cook To Off' - cavity,	
	size and colour	
	Connectivity / Bluetooth	
	Electronic clock / programmer	
	Special aesthetic appearance (eg Sterling)	
Features		
i catares	Warming drawer/cavity	
	Integrated splashback	
	Rotisserie	
	ProFlex	
	Roll-out grill	
	Adjustable feet	Yes
	Retractable control knobs	. 55
	Rear wheels	
Accessori	es (included)	
	Removable cast griddle plate	
	Wok cradle	
	Grillpan/trivet	
	Grillpan handle - metal	
	Roasting tin	
	Full width oven/grill pan - shallow	
	Full width oven/grill pan - deep	Yes, 1
	Full width oven/grill pan - reversible trivet	Yes, 1
	Oven/grill pan handle	Yes, 1
	Cast iron pot	
	Grill rack	
	Turntable	
	INCOMPRED DISTO	
	Browning plate	
	Steam & Infuse	
Dom'	Steam & Infuse LPG Conversion kit (available separately)	
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning)	Van
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners	Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports	Yes Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass	Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves	
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed	Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable	Yes Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides	Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack	Yes Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable	Yes Yes
Removab	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate	Yes Yes
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate	Yes Yes
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type	Yes Yes Yes
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On	Yes Yes Yes Nat Gas
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type	Yes Yes Yes Nat Gas 1/2" BSP female
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type Gas inlet position	Yes Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right
	Steam & Infuse LPG Conversion kit (available separately) Re Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type Gas inlet position LPG convertible	Yes Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type Gas inlet position LPG convertible Hard wired	Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No No
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate on Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Hard wired Lead length	Yes Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No No
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate on Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Hard wired Lead length Terminal block position (looking at the front)	Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No No 1.5m
	Steam & Infuse LPG Conversion kit (available separately) Re Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Hard wired Lead length Terminal block position (looking at the front) Electrical connection Supply voltage Supply frequency	Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No No 1.5m Yes
	Steam & Infuse LPG Conversion kit (available separately) le Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Telescopic shelves - Fixed Telescopic shelves - Removable/adjustable Shelf guides Grill rack Turntable Browning plate On Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Hard wired Lead length Terminal block position (looking at the front) Electrical connection Supply voltage	Yes Yes Yes Nat Gas 1/2" BSP female Top Rear right No No 1.5m Yes 220 - 240V

Brand and	d Model	1
- und all	Brand	Belling
	Sub-brand	Farmhouse
	Model	Farmhouse 60G
Summary	,	
		60cm Cac Panca Cacker
	Product Type	60cm Gas Range Cooker
	Short product description	60cm Gasl Range Cooker With A 4 Burner Gas Hob, Conventional Gas Oven & Electric Grill and Conventional Gas Main Oven
	Total electrical power load (kW)	1.9kw
	Total gas power load (kW)	12.25kw
	Fuse size (A)	13
	Fitted 3 pin plug	Yes
Literature		
Hand	book	
	Full handbook / brand - in pack	Yes
	Full handbook / brand - online	
	Quick start guide & installation instruction	Installation Guide
	Languages	UK/IE
Warra		
	Warranty card / brand	Yes - Belling
1	D&G Guaratee label / brand	Yes - Belling
Label		V
	Made In Britain Label	Yes
	OEM Warranty Label Register My Appliance Label	
	Wiring Diagram Label (dependant on country of destination)	
	Any specific labelling requirements	
Dimensio		
Packe	ed	
	Height (mm)	1040
	Width (mm)	720
	Depth (mm)	720
1	Weight (kg)	52
Produ		000.045
	Height (mm)	900-915
	Width (mm)	600
	Depth (mm) Weight (kg)	600 48
Droduct S	Supply Information	40
i ioduce s	Country of origin	UK
	Palette quantity	2
	Layer quantity	1
	No. layers	1
Other req	uirements	
	Countries of destination	UK/IE
	Conversion kit (supplied)	
	Web Handbooks	Yes
	Inlet Adaptor	
	Matching BI Hob new requirement	
Finishes 8		EL 1
Colou		Black
	SKU code	44444717
	EAN code AS400/Aurora model description	5052263047174 BEL FARMHOUSE 60G Blk
	Exclusive	DEL FARITITIOUSE DUG BIK
Colou		Cream
100.00	SKU code	44444716
	EAN code	5052263047167
	AS400/Aurora model description	BEL FARMHOUSE 60G Crm
	Exclusive	
Colou	; ~	Jalapeno (Red)
	SKU code	44444718
	EAN code	5052263047181
	AS400/Aurora model description	BEL FARMHOUSE 60G Hja
loc1-	Exclusive	C!!
Colou		Silver 444410791
	SKU code EAN code	5052263107915
	AS400/Aurora model description	BEL Farmhouse 60G Sil
	Exclusive	DEL I diffiliouse dog Sil
	COMMENTS	