	nge	
Bran	d and Model	
	Brand	Belling
	Model	Cookcentre
		100E
Sum	mary	100 m Commis Donas Coston
	Product description (as in brochure)	100cm Ceramic Range Cooker Range Cooker
	Product Type Fuel	Electric
	Number of ovens	2
	Warranty period	1 year
	International market	1 yea
_		
	Range Overview	With its contemporary looks, all the size and fuel options you could ever need and a stylish choice of finishes, the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that'll help you turn out the perfect meal every time.
	Product Overview	100cm Electric range cooker with a 5 zone ceramic hob and warming zone, fanned main oven, dedicated variable rate grill, conventional second oven, and storage compartment. Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency
Key	Features:	
	Key Feature 1	Five ceramic cooking zones plus one warming zone
	Key Feature 2	Variable rate electric grill
	Key Feature 3	Fanned electric main oven
	Key Feature 4	Conventional electric second oven
	Key Feature 5	Storage compartment
Hob	layout	
	(diagram to be assigned)	$\begin{bmatrix} 3 & 5\\ 1 & 4\\ 2 & 6 \end{bmatrix}$
Cavit	ty layout	
	(diagram to be assigned)	$ \begin{array}{c c} 1 & 3 \\ 2 & 4 \end{array} $
Hob	Hob summary	5 Ceramic Zones
_	-	1 Warming Zone
_	No of burners/elements	5 + 1
	Burner 1 (kW) Burner 2 (kW) Burner 3 (kW) Burner 4 (kW) Burner 5 (kW) Burner 6 (kW) Burner 7 (kW) Burner 8 (kW) Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid lectric hob	Image: Constraint of the sector of the se
	Element 1 (kW)	Warming Zone (0.1)
	Element 2 (kW)	Medium (1.7)
	Element 3 (kW)	Small (1.2)
	Element 4 (kW)	Large Dual Zone (2.2)

	Element 6 (kW)	Medium (1.7)
	. ,	
	Element 7 (kW)	
	Touch control	
	Digital power display	
	Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function	
	Timer Function	
	Bridge Function	
	Easy clean ceramic glass surface	Yes
Cavi	-	
	Position	Top left
	Main/second/third/fourth oven	
	Function	Grill
	Fuel	Electric
	No. of functions	1
	Programmable oven	
G	as oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
-	Conventional gas oven	
	lectric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	Yes
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
C	avity features	
	Actual capacity (litres)	35
	Usable capacity (litres)	28
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	· · · · · ·	
	Power (kW)	180 x 420 x 430 Grill (1.85)
	Power (kW)	
	Power (kW) Energy consumption (Kwh)	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves	Grill (1.85) 1
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves	Grill (1.85) 1 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm)	Grill (1.85) 1
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light	Grill (1.85) 1 3 407mm x 307mm
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	Grill (1.85) 1 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	Grill (1.85) 1 3 407mm x 307mm Yes Glass
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	Grill (1.85) <u>1</u> <u>3</u> 407mm x 307mm Yes
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	Grill (1.85) 1 3 407mm x 307mm Yes Glass
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean ename! Door type Door glazing Viewing window	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Function Function Fuel No. of functions Programmable oven	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Function Fuel No. of functions Programmable oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven Gas oven/grill Fixed rate gas grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven tas oven/grill Fixed rate gas grill Variable rate gas grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door oplazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven tas oven/grill Fixed rate gas grill Variable rate gas grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door oplazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door dype Door glazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ias oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door dpazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven tas oven/grill Fixed rate gas grill Conventional gas oven tectric oven/grill Fixed rate electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door dpazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven tas oven/grill Fixed rate gas grill Variable rate gas oven to variable rate electric grill Variable rate dual circuit electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door dype Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven Goventional gas oven lectric oven/grill Fixed rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fixed rate dual circuit electric grill	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Datiable rate dual circuit electric grill	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Dorentional electric oven Dostible rate bas (top, bottom & fan)	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening ty 2 Position Main/second/third/fourth oven Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Faned electric oven Derost Intensive bake (top, bottom & fan) Top heat only	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fixed rate electric grill Variable rate dual circuit electric grill Variable rate oven Fanned electric oven Defrost	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ias oven/grill Fixed rate gas grill Variable rate gas grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit selectric grill Variable rate dual circuit gelectric grill Variable rate only Base heat only Base heat only Base heat with fan	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fixed rate electric grill Variable rate dual circuit electric grill Variable rate oven Fanned electric oven Defrost	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opening Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ias oven/grill Fixed rate gas grill Variable rate gas grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit selectric grill Variable rate dual circuit gelectric grill Variable rate only Base heat only Base heat only Base heat with fan	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
G	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door opaing ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven tas oven/grill Fixed rate gas grill Variable rate das grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit selectric grill Conventional electric oven Fanned electric oven Perforst Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	Grill (1.85) 1 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes
E	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door dpazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ias oven/grill Fixed rate gas grill Variable rate gas oven lectric oven/grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate oven Effort Prost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes Yes
E	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening ty 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven ias oven/grill Fixed rate gas grill Conventional gas oven lectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit selectric grill Variable rate oven Finned electric oven Forst Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat only Base heat with fan Grill with fan Slow cook	Grill (1.85) 1 3 407mm x 307mm Yes Glass Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes Yes

Licable (apacity (litres)	54
	avity dimensions (HxWxD mm)	350 x 420 x 430
Power (2kw
	· · · · · · · · · · · · · · · · · · ·	
	consumption (Kwh)	0.71Kwh (Conventional)
No of sh		2
	elf positions	5
	ic shelves	
	rea of shelves (WxD mm)	407mm x 307mm
Oven lig		Yes
	an enamel	Yes
Door typ		Glass
Door gla	zing	Double
Viewing	window	Yes
Door op	ening	Side opening
Cavity 3		
Position		Top right
Main/se	cond/third/fourth oven	Main
Function		Fanned Oven
Fuel		Electric
No. of fu	Inctions	3
Program	mable oven	Yes
Gas oven/		
	e gas grill	
Variable	rate gas grill	
Convent	ional gas oven	
Electric ov	en/grill	
	e electric grill	
	rate electric grill	
Variable	rate dual circuit electric grill	
Convent	ional electric oven	
	electric oven	Yes
Defrost		Yes
	e bake (top, bottom & fan)	
Top hea		
Base he		
	at with fan	
Grill wit	n fan	
Slow co		Yes
Energy I		A
Cavity fea		
	apacity (litres)	62
	apacity (litres)	54
	Cavity dimensions (HxWxD mm)	350 x 420 x 395
Power (2
i ower (-
Energy	consumption (Kwh)	
Energy		0.66Kwh (Forced Air)
No of sh	elves	2
	elf positions	5
	bic shelves	5
	rea of shelves (WxD mm)	407mm x 307mm
Oven lig		Yes
	an enamel	Yes
Door typ		Glass
Door gla		Double
Viewing		Yes
-		Side opening
Door op Cavity 4	zi ili iy	Side opening
Position		Pottom right
	cond/third/fourth oven	Bottom right
Function		Storage
Function		Silliaye
Gas oven/	arill	
	e gas grill rate gas grill	
	ional gas oven	
Electric ov		
	e electric grill	
	rate electric grill	
	rate dual circuit electric grill	
	ional electric oven	
	electric oven	
Defrost	hale (ten battar 0.5.)	
	e bake (top, bottom & fan)	
Top hea	-	
Base he	•	
	at with fan	
Grill wit		
Slow co		
Energy		
Cavity fea		
	apacity (litres)	
Licobio d	apacity (litres)	

	Cavity dimensions (HxWxD mm)	
	Power (kW)	
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
	Oven light	
	Easy clean enamel	
	Door type	Glass/Metal
	Door glazing	
	Viewing window	
	Door opening	Drop Down
Tim		· · · · ·
	Cook to off programmable timer	
	Analogue clock/programmer	
	LED clock/minute minder	
	LED clock/programmer	
	Electronic clock / programmer	
	Touch Control programmer	Yes - cavity 3
Feat	tures	
i ca	Fascia cooling system	Yes
	Integrated splashback	105
\vdash		
\vdash	Rotisserie Adjustable feet	Vac
	Adjustable reet Rear wheels	Yes
		No
ACCE	essories (included)	
\vdash	Removable cast griddle plate	
\vdash	Wok cradle	
\vdash	Grillpan/trivet	Yes
\vdash	Grillpan handle - metal	Yes
\vdash	Roasting tin	
	LPG Conversion kit (available separately)	
Rem	novable Parts (for cleaning)	
	Hob burners	
	Pan supports	
	Inner door glass	
	Shelves	Yes
	Shelf runners	Yes
Inst	allation	
	Gas type	
	Gas inlet type	
	Gas inlet position	
	LPG convertible	
	Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	14.1kw
	Total gas power load (kW)	1 11100
	Total gas power load (kW) Fuse size (A)	
	Fuse size (A)	32
Dim	Fuse size (A) Fitted 3 pin plug	
	Fuse size (A) Fitted 3 pin plug	
	Fuse size (A) Fitted 3 pin plug rensions Packed	32
	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm)	32 1035
	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm)	32 1035 1130
	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm)	32 1035 1130 720
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg)	32 1035 1130
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg)	32 1035 1130 720 89
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm)	32 1035 1130 720 89 900-930
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm)	32 1035 1130 720 89 900-930 996
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Depth (mm)	32 1035 1130 720 89 900-930 996 600
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg)	32 1035 1130 720 89 900-930 996
F	Fuse size (A) Fitted 3 pin plug rensions Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information	32 1035 1130 720 89 900-930 996 600 82
F	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin	32 1035 1130 720 89 900-930 996 600 82 UK
F	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity	32 1035 1130 720 89 900-930 996 600 82 UK 2
F	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity	32 1035 1130 720 89 900-930 996 600 82 UK 2 1
F Proc	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers	32 1035 1130 720 89 900-930 996 600 82 UK 2
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 Stainless Steel 44444085 5052263040854
Finis	Fuse size (A) Fitted 3 pin plug Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 Stainless Steel 44444085 5052263040854
Finis	Fuse size (A) Fitted 3 pin plug Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers Shes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 444444084
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers Shes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 444444084 5052263040847
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers Shes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 444444084
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 444444084 5052263040847 BEL COOKCENTRE 100E PROF Sta
Finis	Fuse size (A) Fitted 3 pin plug Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description EXClusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 44444084 5052263040847 BEL COOKCENTRE 100E PROF Sta Black
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description EXClose SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 44444084 5052263040847 BEL COOKCENTRE 100E PROF Sta Black 444444086
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description EXU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 44444084 5052263040854 BEL COOKCENTRE 100E Sta Black 444444086 5052263040861
Finis	Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Weight (kg) Product Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers shes & codes Colour 1 SKU code EAN code AS400/Aurora model description EXClose SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code	32 1035 1130 720 89 900-930 996 600 82 UK 2 1 1 1 Stainless Steel 44444085 5052263040854 BEL COOKCENTRE 100E Sta Professional (SS) 44444084 5052263040847 BEL COOKCENTRE 100E PROF Sta Black 444444086