Range		
	d and Model	
	Brand	Belling
	Model	Cookcentre
		100Ei
Sum	mary	100 7 1 11 7 0 1
	Product description (as in brochure)	100cm Induction Range Cooker
	Product Type Fuel	Range Cooker Electric
	Number of ovens	2
	Warranty period	1 year
	International market	2 / 64.
	Range Overview	With its contemporary looks, all the size and fuel options you could ever need and a stylish choice of finishes, the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that'll help you turn out the perfect meal every time.
	Product Overview	100cm Electric range cooker with a 5 zone electric induction hob, fanned main oven, dedicated variable rate grill, conventional second oven, and storage compartment Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency
Key I	Features:	
	Key Feature 1	Five induction cooking zones
	Key Feature 2	Variable rate electric grill
	Key Feature 3	Fanned electric main oven
	Key Feature 4	Conventional electric second oven
	Key Feature 5	Works on 32Amp Connection
		<u> </u>
HOD	layout	
	(diagram to be assigned)	2 5
		1 4
Cavit	ty layout	
	(diagram to be assigned)	2 3 4
Hob		
	Uah aummani	F Industion Zance
	Hob summary	5 Induction Zones
	No of burners/elements	5
G	as hob	
	Burner 1 (kW) Burner 2 (kW)	
	Burner 3 (kW)	
	Burner 4 (kW)	
	Burner 5 (kW)	
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports	
	<u> </u>	
	Cast iron pan supports	
	Push button ignition	
	Automatic ignition	
	Flame safety device	
	Glass lid with auto shut off	
	Cast lid	
E	Element 1 (kW)	Small Induction
	Element 2 (kW)	1.2 - 1.4 Medium Induction
		1.4 - 2.0 Large Induction
	Element 3 (kW)	2.3 - 3.0 Small Induction
	Element 4 (kW)	1.2 - 1.4 Medium Induction
	Element 5 (kW)	Meaium Induction 1.4 - 2.0

	Element 6 (kW)	
	Element 7 (kW) Touch control	Yes
	Digital power display	Yes
	Keep warm function	No
	Pan detection	Yes
	Pan overheat detection	Yes
	Child lock	Yes
	Boost function	Yes
	Timer Function	Yes
	Bridge Function	Yes
<u></u>	Easy clean ceramic glass surface	Yes
Ca	Position	Top left
	Main/second/third/fourth oven	Top lete
	Function	Grill
	Fuel	Electric
	No. of functions	1
	Programmable oven	
	Gas oven/grill	
	Fixed rate gas grill Variable rate gas grill	
	Conventional gas oven	
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	Yes
	Variable rate dual circuit electric grill	
	Conventional electric oven	
<u> </u>	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)  Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
	Cavity features	
	Actual capacity (litres)	35
	Usable capacity (litres)	28
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	Power (kW)	180 x 420 x 430 Grill (1.85)
	Power (kW)	
	Power (kW) Energy consumption (Kwh)	
	Power (kW)  Energy consumption (Kwh)  No of shelves	Grill (1.85)
	Power (kW) Energy consumption (Kwh)	Grill (1.85)
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)	Grill (1.85)
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light	Grill (1.85)  1 3 407mm x 307mm
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel	Grill (1.85)  1 3  407mm x 307mm  Yes
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type	Grill (1.85)  1 3  407mm x 307mm  Yes Glass
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing	Grill (1.85)  1 3  407mm x 307mm  Yes Glass Single
	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type	Grill (1.85)  1 3  407mm x 307mm  Yes Glass Single Yes
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window	Grill (1.85)  1 3  407mm x 307mm  Yes Glass Single
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position	Grill (1.85)  1 3  407mm x 307mm  Yes Glass Single Yes
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven	Grill (1.85)  1 3  407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Variable rate gas grill  Conventional gas oven  Electric oven/grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate electric grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate electric grill  Variable rate dual circuit electric grill	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  Vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven  Fanned electric oven  Defrost	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven  Defrost  Intensive bake (top, bottom & fan)	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas grill  Variable rate electric grill  Variable rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven  Defrost  Intensive bake (top, bottom & fan)  Top heat only  Base heat with fan	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh)  No of shelves  No of shelf positions  Telescopic shelves  Usable area of shelves (WxD mm)  Oven light  Easy clean enamel  Door type  Door glazing  Viewing window  Door opening  vity 2  Position  Main/second/third/fourth oven  Function  Fuel  No. of functions  Programmable oven  Gas oven/grill  Fixed rate gas grill  Variable rate gas grill  Conventional gas oven  Electric oven/grill  Fixed rate electric grill  Variable rate dual circuit electric grill  Conventional electric oven  Fanned electric oven  Defrost  Intensive bake (top, bottom & fan)  Top heat only  Base heat with fan  Grill with fan	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh) No of shelves No of shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening  vity 2  Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven  Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven  Electric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No  Yes  Yes
Ca	Power (kW)  Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening vity 2  Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven Gas oven/grill Fixed rate gas grill Conventional gas oven Electric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No
Ca	Power (kW)  Energy consumption (Kwh) No of shelves No of shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening  vity 2  Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven  Gas oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven  Electric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook	Grill (1.85)  1 3 407mm x 307mm  Yes Glass Single Yes Drop-down  Bottom left Second Conventional Oven Electric 2 No  Yes  Yes

Usable capacity (litres)	54 250 × 420 × 420
Usable Cavity dimensions (HxWxD mm) Power (kW)	350 x 420 x 430 2kw
	ZRVV
Energy consumption (Kwh)	0.71Kwh (Conventional)
No of shelves	2
No of shelf positions	5
Telescopic shelves	
Usable area of shelves (WxD mm)	407mm x 307mm
Oven light	Yes
Easy clean enamel	Yes
Door type	Glass
Door glazing	Double
Viewing window	Yes
Door opening  Cavity 3	Side opening
Position	Top right
Main/second/third/fourth oven	Main
Function	Fanned Oven
Fuel	Electric
No. of functions	3
Programmable oven	Yes
Gas oven/grill	· · · · · · · · · · · · · · · · · · ·
Fixed rate gas grill	
Variable rate gas grill	
Conventional gas oven	
Electric oven/grill	
Fixed rate electric grill	
Variable rate electric grill	
Variable rate dual circuit electric grill	
Conventional electric oven	
Fanned electric oven	Yes
Defrost	Yes
Intensive bake (top, bottom & fan)	
Top heat only	
Base heat only	
Base heat with fan	
Grill with fan	
Slow cook	Yes
Energy rating	A
Cavity features	
Actual capacity (litres)	62
Usable capacity (litres)	54
Usable Cavity dimensions (HxWxD mm)	350 x 420 x 395
Power (kW)	2
Energy concumption (Kwh)	
Energy consumption (Kwh)	0.66Kwh (Forcad Air)
No of shelves	0.66Kwh (Forced Air) 2
No of shelf positions	5
Telescopic shelves	<u> </u>
Usable area of shelves (WxD mm)	407mm x 307mm
Oven light	Yes
Easy clean enamel	Yes
Door type	Glass
Door glazing	Double
Viewing window	Yes
Door opening	Side opening
Cavity 4	
Position	Bottom right
Main/second/third/fourth oven	
Function	Storage
Fuel	
Gas oven/grill	
Fixed rate gas grill	
Variable rate gas grill	
Conventional gas oven	
Electric oven/grill	
Fixed rate electric grill	
Variable rate electric grill  Variable rate dual circuit electric grill	
Conventional electric oven	
Fanned electric oven	
Defrost	
Intensive bake (top, bottom & fan)	
Top heat only	
Base heat only	
Base heat with fan	
Grill with fan	
Slow cook	
Energy rating	
Cavity features	
Actual capacity (litres)	
Usable capacity (litres)	

	Coults discoursing (III AM D)	
	Cavity dimensions (HxWxD mm)	
	Power (kW) Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
	Oven light	
	Easy clean enamel	
	Door type	Glass/Metal
	Door glazing	
	Viewing window Door opening	Drop Down
Timer		Бюр Боші
	Cook to off programmable timer	
	Analogue clock/programmer	
	LED clock/minute minder	
	LED clock/programmer	
	Electronic clock / programmer	
Factor	Touch Control programmer	Yes - cavity 3
Featu	Fascia cooling system	Yes
	Integrated splashback	Tes
	Rotisserie	
	Adjustable feet	Yes
	Rear wheels	No
Acces	ssories (included)	
	Removable cast griddle plate	
	Wok cradle	V
	Grillpan/trivet Grillpan handle - metal	Yes Yes
	Roasting tin	res
	LPG Conversion kit (available separately)	
Remo	ovable Parts (for cleaning)	
	Hob burners	
	Pan supports	
	Inner door glass	
	Shelves	Yes
Tecto	Shelf runners	Yes
IIISta	Gas type	
	Gas inlet type	
	Gas inlet position	
	LPG convertible	
	Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	13.5kw
	Total gas power load (kW)	22
	Fuse size (A) Fitted 3 pin plug	32
Dime	nsions	
	icked	
	Height (mm)	1035
	Width (mm)	1130
	Depth (mm)	720
	Weight (kg)	92
Pr	doduct	000 020
	Height (mm) Width (mm)	900-930 996
	Depth (mm)	600
	Weight (kg)	85
Produ	uct Supply Information	
	Country of origin	UK
	Palette quantity	2
	Layer quantity	1
	No. layers	1
	nes & codes	Chainless Chast
L C0	SKU code	<b>Stainless Steel</b> 444444091
	EAN code	5052263040915
	AS400/Aurora model description	BEL COOKCENTRE 100Ei Sta
	Exclusive	PET COOKCEIALISE TONEL 2/9
Co	blour 2	Professional (SS)
	SKU code	44444090
	EAN code	5052263040908
	AS400/Aurora model description	BEL COOKCENTRE 100Ei PROF Sta
	Exclusive	
Co	olour 3	Black
	SKU code	444444092
	EAN code	5052263040922
	AS400/Aurora model description	BEL COOKCENTRE 100Ei BLK
$\Box$	Exclusive	