Brand			
	and Model		
	Brand	Belling	
	Model	Cookcentre 110E	
Sumn	narv		
Juiii	Product description (as in brochure)	110cm Ceramic Range Cooker	
	Product Type	Range Cooker	
	Fuel	Electric	
	Number of ovens	2	
	Warranty period	1 year	
	International market		
	Range Overview	With its contemporary looks, all the size and fuel options you could ever need and a stylish choice of finishes, the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that'll help you turn out the perfect meal every time.	
	Product Overview	110cm Electric range cooker with a 5 zone ceramic hob and warming zone, fanned main oven, dedicated variable rate grill, conventional second oven, and storage compartment. Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency	
Key F	eatures:		
	Key Feature 1	Five ceramic cooking zones plus one warming zone	
	Key Feature 2	Variable rate electric grill	
	Key Feature 3	Fanned electric main oven	
	Key Feature 4	Conventional electric second oven	
	Key Feature 5	Storage compartment	
Hob l	ayout		
	(diagram to be assigned)	$\begin{bmatrix} 3 & 5\\ 1 & 4\\ 2 & 6 \end{bmatrix}$	
Cavit	y layout		
	(diagram to be assigned)		
Hob	Hob summary	5 Ceramic Zones	
	-	1 Warming Zone	
~	No of burners/elements	5 + 1	
Ga	as hob Burner 1 (kW)		
	Burner 2 (kW)		
	Burner 3 (kW)		
	Burner 4 (kW)		
	Burner 5 (kW)		
	Burner 6 (kW)		
	Burner 7 (kW)		
	Burner 8 (kW)		
_	Enamel pan supports		
_			
	Cast iron pan supports Push button ignition		
_	Automatic ignition		
	Flame safety device		
_	Glass lid with auto shut off		
El.	Cast lid ectric hob		
CI	Element 1 (kW)	Warming Zone (0.1)	
	Element 2 (kW)	Medium (1.7)	
_	Element 3 (kW)	Small (1.2)	
		Large Dual Zone	
	Element 4 (kW)	(2.2)	

Element 6 (kW)		Medium (1.7)
,		
Element 7 (kW)		
Touch control		
Digital power displa	ау	
Keep warm function	n	
Pan detection		
Pan overheat detec	ction	
Child lock		
Boost function		
Timer Function		
Bridge Function		
Easy clean ceramic	dass surface	Yes
Cavity 1		165
Position		Top left
Main/second/third/	fourth over	Top left
	Tourur oven	Cuill
Function		Grill
Fuel		Electric
No. of functions		1
Programmable ove	n	
Gas oven/grill		
Fixed rate gas grill		
Variable rate gas g		
Conventional gas o	oven	
Electric oven/grill		
Fixed rate electric	grill	
Fixed rate dual circ		
Variable rate electr		Yes
Variable rate dual of		
Conventional electr	-	
Fanned electric over		
Defrost	a bottom & fan	
Intensive bake (top	p, bottom & ran)	
Top heat only		
Base heat only		
Base heat with fan		
Grill with fan		
Slow cook		
Energy rating		
Cavity features		
Actual capacity (litr	res)	39
Usable capacity (lit		31
	ensions (HxWxD mm)	180 x 470 x 430
		100 x 170 x 150
Power (kW)		Grill (1.85)
. ,		Grill (1.85)
Energy consumptio	on (Kwh)	
Energy consumptio		1
Energy consumption No of shelves No of shelf position	ns	
Energy consumptio No of shelves No of shelf positior Telescopic shelves	ns	1 3
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shel	ns	1
Energy consumptio No of shelves No of shelf positior Telescopic shelves Usable area of shel Oven light	lves (WxD mm)	1 3 467mm x 307mm
Energy consumptio No of shelves No of shelf positior Telescopic shelves Usable area of shel Oven light Easy clean enamel	lves (WxD mm)	1 3
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type	lves (WxD mm)	1 3 467mm x 307mm Yes Glass
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type	lves (WxD mm)	1 3 467mm x 307mm Yes Glass
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing Viewing window	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing Viewing window Door opening <b>Cavity 2</b> Position	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing Viewing window Door opening <b>Cavity 2</b> Position Main/second/third/	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shell Oven light Easy clean enamel Door type Door glazing Viewing window Door opening Cavity 2 Position Main/second/third/ Function	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven
Energy consumption No of shelves No of shelves Usable area of shel Oven light Easy clean enamel Door type Door glazing Viewing window Door opening Cavity 2 Position Main/second/third/ Function Fuel	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric
Energy consumption No of shelves No of shelves Usable area of shel Oven light Easy clean enamel Door type Door glazing Viewing window Door opening Cavity 2 Position Main/second/third/ Function Fuel No. of functions	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove	lves (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill	rs (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of sheld         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill	rs (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas grill	rill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o	rill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption No of shelves No of shelf position Telescopic shelves Usable area of shel Oven light Easy clean enamel Door type Door glazing Viewing window Door opening <b>Cavity 2</b> Position Main/second/third/ Function Fuel No. of functions Programmable ove <b>Gas oven/grill</b> Fixed rate gas grill Variable rate gas g Conventional gas o <b>Electric oven/grill</b>	rill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Vixaiable rate gas grill         Variable rate gas rgll         Variable rate electric oven/grill	rill grill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of sheld         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas o         Electric oven/grill         Fixed rate electric o         Variable rate electric o	rill rill ric grill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of sheld         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas o         Conventional gas o         Electric oven/grill         Fixed rate electric         Variable rate electric	rill ric grill circuit electric grill	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of sheld         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate electric or         Variable rate electric or         Variable rate dual of Conventional gas or         Conventional electric	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2
Energy consumption         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual of         Variable rate dual of         Conventional electr         Variable rate dual of	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual of         Conventional electric over         Paned electric over         Variable rate dual of         Conventional electric over	rill circuit electric grill circuit electric	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of shelf         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual c         Conventional electr         Variable rate dual c         Conventional electr	rill circuit electric grill circuit electric	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual of         Conventional electric over         Pained electric over         Variable rate dual of         Conventional electric over	rill circuit electric grill circuit electric	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shelf         Oven light         Easy clean enamel         Door dype         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual or         Conventional electric over         Variable rate delectric over         Variable rate dual or         Conventional electric over         Defrost         Intensive bake (top	rill circuit electric grill circuit electric	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual of         Conventional electric over         Defrost         Intensive bake (top         Top heat only	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric ove         Variable rate delectric ove         Defrost         Intensive bake (top         Top heat only         Base heat only         Base heat with fan	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No
Energy consumption         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric ove         Variable rate delectric ove         Defrost         Intensive bake (top         Top heat only         Base heat only         Base heat with fan	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes
Energy consumption         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of shele         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas o         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate electric over         Defrost         Intensive bake (top         Top heat only         Base heat only         Base heat only         Base heat with fan         Grill with fan	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes Yes
Energy consumption         No of shelves         No of shelves         No of shelf position         Telescopic shelves         Usable area of shell         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate dual of         Conventional electric over         Variable rate dual of         Conventional electric over         Defrost         Intensive bake (top         Top heat only         Base heat with fan         Grill with fan         Slow cook	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes
Energy consumption         No of shelves         No of shelves         No of shelves         Usable area of sheld         Oven light         Easy clean enamel         Door type         Door glazing         Viewing window         Door opening         Cavity 2         Position         Main/second/third/         Function         Fuel         No. of functions         Programmable ove         Gas oven/grill         Fixed rate gas grill         Variable rate gas g         Conventional gas o         Electric oven/grill         Fixed rate electric over         Variable rate electric over         Defrost         Intensive bake (top         Top heat only         Base heat only         Base heat only         Base heat with fan         Grill with fan	Ives (WxD mm)	1 3 467mm x 307mm Yes Glass Single Yes Drop-down Bottom left Second Conventional Oven Electric 2 No Yes Yes

	Usable capacity (litres)	61
l	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 430
	Power (kW)	2kw
	Energy consumption (Kwh)	
	<b>2</b> / 1 ( )	0.79Kwh (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	
l	Usable area of shelves (WxD mm)	467mm x 307mm
(	Oven light	Yes
1	Easy clean enamel	Yes
1	Door type	Glass
	Door glazing	Double
١	Viewing window	Yes
	Door opening	Side opening
Cavity		
-	Position	Top right
	Main/second/third/fourth oven	Main
	Function	Fanned Oven
	Fuel	Electric
	No. of functions	3
	Programmable oven	Yes
	oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	ctric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
۱.	Variable rate dual circuit electric grill	
(	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	Yes
	Energy rating	A
	vity features	
1	Actual capacity (litres)	71
l	Usable capacity (litres)	61
l	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 395
	Power (kW)	2
	Energy consumption (Kwh)	
	Energy consumption (ram)	0.74Kwh (Forced Air)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	5
	•	467
	Usable area of shelves (WxD mm)	467mm x 307mm
	Oven light	Yes
	Easy clean enamel	Yes
	Door type	Glass
	Door glazing	Double
۱ ۱	Viewing window	Yes
	Door opening	Side opening
Cavity		· · · · · · · · · · · · · · · · · · ·
	Position	Bottom right
	Main/second/third/fourth oven	
	Function	Storage
	Fuel	Storuge
	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	ctric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
	ite footune o	
Cav	vity features	
Cav	vity features       Actual capacity (litres)       Usable capacity (litres)	

	Cavity dimensions (HxWxD mm) Power (kW)	
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
	Oven light	
	Easy clean enamel	
	Door type	Glass/Metal
	Door glazing	
	Viewing window	
	Door opening	Drop Down
Time		
	Cook to off programmable timer	
	Analogue clock/programmer LED clock/minute minder	
	LED clock/programmer	
	Electronic clock / programmer	
	Touch Control programmer	Yes - cavity 3
Featu		
	Fascia cooling system	Yes
	Integrated splashback	
	Rotisserie	
	Adjustable feet	Yes
_	Rear wheels	No
Acces	ssories (included)	
	Removable cast griddle plate	
	Wok cradle	V
	Grillpan/trivet	Yes
	Grillpan handle - metal Roasting tin	Yes
	LPG Conversion kit (available separately)	
Remo	ovable Parts (for cleaning)	
	Hob burners	
	Pan supports	
	Inner door glass	
	Shelves	Yes
	Shelf runners	Yes
Insta	llation	
	Gas type	
	Gas inlet type	
	Gas inlet position	
	LPG convertible	
	Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	14.1kw
	Total gas power load (kW)	22
	Fuse size (A)	32
Dimo	Fitted 3 pin plug	
	acked	
	Height (mm)	1035
	Width (mm)	1230
	Depth (mm)	720
	Weight (kg)	95
Pr	roduct	
	Height (mm)	900-930
	Width (mm)	1096
	Depth (mm)	600
	Weight (kg)	87
Prod	uct Supply Information	
	Country of origin	UK
	Palette quantity	2
	l aver quantity	1
	Layer quantity	
	No. layers	1
	No. layers hes & codes	
	No. layers hes & codes blour 1	Stainless Steel
	No. layers hes & codes blour 1 SKU code	<b>Stainless Steel</b> 44444097
	No. layers       hes & codes       blour 1       SKU code       EAN code	<b>Stainless Steel</b> 44444097 5052263040977
	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description	<b>Stainless Steel</b> 44444097
Co	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta
Co	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2	Stainless Steel 44444097 5052263040977 BEL COOKCENTRE 110E Sta Professional (SS)
Co	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           44444096
C	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           44444096           5052263040960
Co	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           44444096
Ca	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         Olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           44444096           5052263040960           BEL COOKCENTRE 110E PROF Sta
Ca	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 3	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           444444096           5052263040960           BEL COOKCENTRE 110E PROF Sta           Black
Ca	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 3         SKU code	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           444444096           5052263040960           BEL COOKCENTRE 110E PROF Sta           Black           444444098
Ca	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 3         SKU code         EAN code	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           44444096           5052263040960           BEL COOKCENTRE 110E PROF Sta           Black           444444098           5052263040984
Ca	No. layers         hes & codes         olour 1         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 2         SKU code         EAN code         AS400/Aurora model description         Exclusive         olour 3         SKU code	Stainless Steel           44444097           5052263040977           BEL COOKCENTRE 110E Sta           Professional (SS)           444444096           5052263040960           BEL COOKCENTRE 110E PROF Sta           Black           444444098