	nge d and Model Brand	Belling
		Cookcentre
	Model	90Ei
Sum	Product description (as in brochure)	90cm Induction Range Cooker
	Product Type	Range Cooker
	Fuel	Electric
	Number of ovens	2
	Warranty period	1 year
	International market	
	Range Overview	With its contemporary looks, all the size and fuel options you could ever need and a stylish choice of finishes, the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that'll help you turn out the perfect meal every time.
Key	Product Overview Features:	90cm Electric range cooker with a 4 zone induction hob and warming zone, fanned main oven, dedicated variable rate grill and large capacity fanned tall oven. Also features an LED touch control programmable timer with an easy to read display. A/A Rated energy efficiency
	Key Feature 1	Four induction zones plus one warming zone
	Key Feature 2	Variable rate electric grill
	,	
	Key Feature 3	Fanned Electric Oven
	Key Feature 4	Tall Fanned Electric Oven
	Key Feature 5	Works on 32Amp Connection
Hob	layout	
	(diagram to be assigned)	2 4 1 3
Cavit	ty layout	
	(diagram to be assigned)	2 3
Hob		
	11-1	4 Induction Zones
	Hob summary	1 Warming Zone
	No of burners/elements	4 + 1
G	as hob	
	Burner 1 (kW)	
	Burner 2 (kW) Burner 3 (kW)	
	Burner 4 (kW)	
	Burner 5 (kW)	
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports	
	Cast iron pan supports	
	Push button ignition	
	Automatic ignition	
	Flame safety device	
	Glass lid with auto shut off	
	Cast lid	
E	lectric hob	Medium Induction
	Element 1 (kW)	1.4 - 2.1 Medium Induction
	Element 2 (kW)	1.4 - 2.1
	Element 3 (kW)	Medium Induction 1.4 - 2.1
	Element 4 (kW)	Medium Induction 1.4 - 2.1
	Element 5 (kW)	Warming Zone
		0.1

	Element 6 (kW)	
	Element 7 (kW) Touch control	Yes
	Digital power display	Yes
	Keep warm function	No
	Pan detection	Yes
	Pan overheat detection	Yes
	Child lock	Yes
	Boost function	Yes
	Timer Function	Yes
	Bridge Function	Yes
	Easy clean ceramic glass surface	Yes
Cavit	y 1	
	Position	Top left
	Main/second/third/fourth oven	
	Function	Grill
	Fuel	Electric
	No. of functions	1
	Programmable oven	
Ga	as oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
Ele	ectric oven/grill Fixed rate electric grill	
	Fixed rate electric grill Fixed rate dual circuit electric grill	
	Variable rate electric grill	Yes
	Variable rate electric grill Variable rate dual circuit electric grill	ICS
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
Ca	vity features	
	Actual capacity (litres)	35
	Usable capacity (litres)	28
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
		100 X 120 X 100
	, , , , , , , , , , , , , , , , , , , ,	
	Power (kW)	Grill (1.85)
	Power (kW) Energy consumption (Kwh)	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves	Grill (1.85) 1 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm)	Grill (1.85)
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light	Grill (1.85) 1 3 407mm x 307mm
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	Grill (1.85) 1 3 407mm x 307mm Yes
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	Grill (1.85) 1 3 407mm x 307mm Yes Glass
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	Grill (1.85) 1 3 407mm x 307mm Yes
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric
Cavit	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating avity features	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes Yes Yes Yes
Ga	Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening y 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven as oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	Grill (1.85) 1 3 407mm x 307mm Yes Glass Single Yes Drop-down Bottom left Main Fanned Oven Electric 3 Yes Yes Yes

Usab		
	le capacity (litres)	54
	le Cavity dimensions (HxWxD mm)	350 x 420 x 395
Powe	er (kW)	2kw
Ener	gy consumption (Kwh)	0.73Kwh
	f shelves	(Forced Air)
		<u>2</u> 5
	f shelf positions	5
	scopic shelves	407 207
	le area of shelves (WxD mm)	407mm x 307mm
	ı light	Yes
	clean enamel	Yes
Door	type	Glass
Door	glazing	Double
View	ing window	Yes
Door	opening	Side opening
Cavity 3		· -
Posit	ion	Right
	/second/third/fourth oven	Second
Func	•	Tall Fanned Oven
Fuel		Electric
	of functions	3
	rammable oven	No
Gas ove		140
	I rate gas grill	
	ble rate gas grill	
	entional gas oven	
	oven/grill	
	I rate electric grill	
	ble rate electric grill	
	ble rate dual circuit electric grill	
	entional electric oven	
Fann	ed electric oven	Yes
Defro	ost	Yes
Inter	sive bake (top, bottom & fan)	
	heat only	
Base	heat only	
	heat with fan	
	with fan	
	cook	Yes
	gy rating	A
	eatures	
	al capacity (litres)	91
	le capacity (litres)	86
		620 x 350 x 395
	le Cavity dimensions (HxWxD mm)	1 1 111 111
Powe	er (kW)	2.5
Enor	ay consumption (Kwh)	O Odlivih (Farend Air)
Lilei	gy consumption (Kwh)	0.94Kwh (Forced Air)
No. o	f ababaa	3
	f shelves	-
	f shelf positions	25
	scopic shelves	205
	le area of shelves (WxD mm)	335mm x 345mm
	ı light	Yes
	clean enamel	Yes
	type	Glass/Metal
	glazing	Double
View	ing window	Yes
Door	opening	Side opening
Cavity 4		
Posit	ion	
Main	/second/third/fourth oven	
	•	
	UOH	
Func	uon	
Func Fuel		
Func Fuel Gas ove	en/grill	
Func Fuel Gas ove Fixed	e n/grill I rate gas grill	
Func Fuel Gas ove Fixed Varia	en/grill I rate gas grill ble rate gas grill	
Func Fuel Gas ove Fixed Varia Conv	en/grill I rate gas grill Ible rate gas grill Ientional gas oven	
Func Fuel Gas ove Fixed Varia Conv	en/grill I rate gas grill ble rate gas grill rentional gas oven oven/grill	
Func Fuel Gas ove Fixed Varia Conv Electric	en/grill I rate gas grill Ible rate gas grill Ientional gas oven oven/grill I rate electric grill	
Func Fuel Gas ove Fixed Varia Conv Electric Fixed Varia	en/grill I rate gas grill I rate gas grill I rate gas grill I rate gas oven oven/grill I rate electric grill Ible rate electric grill	
Func Fuel Gas ove Fixed Varia Conv Electric Varia Varia	en/grill I rate gas grill ble rate gas grill rentional gas oven oven/grill I rate electric grill ble rate electric grill ble rate dual circuit electric grill	
Func Fuel Gas ove Fixed Varia Conv Electric Varia Varia	en/grill If rate gas grill In rate gas grill In rate gas grill In rate gas oven In oven/grill If rate electric grill In rate dual circuit electric grill In rate electric oven	
Function Fixed Variation Variation Variation Variation Variation Variation Variation Fixed Variation Varia	en/grill If rate gas grill In rate gas grill In rate gas grill In rate gas oven In oven/grill If rate electric grill In the rate dual circuit electric grill In rate electric oven In	
Function Fixed Variation Variation Variation Variation Variation Variation Variation Conversion Defre Variation Conversion Variation Var	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven	
Function Fixed Variation V	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven ost sive bake (top, bottom & fan)	
Function Fixed Variation Converted Variation Converted Variation Converted C	en/grill d rate gas grill ble rate gas grill entional gas oven oven/grill d rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven est esive bake (top, bottom & fan) heat only	
Function Fixed Variation V	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven sst ssive bake (top, bottom & fan) heat only heat only	
Function Fixed Variation V	en/grill d rate gas grill ble rate gas grill entional gas oven oven/grill d rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven est esive bake (top, bottom & fan) heat only	
Function Function Function Fixed Varia Varia Conversion Fixed Varia Conversion Fann Defro Inter Top Base Base Base	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven sst ssive bake (top, bottom & fan) heat only heat only	
Function Fun	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven ost ssive bake (top, bottom & fan) heat only heat only heat with fan	
Function Function Function Fixed Variation Var	en/grill If rate gas grill ble rate gas grill entional gas oven oven/grill If rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven est asive bake (top, bottom & fan) heat only heat only heat with fan with fan cook	
Function Fun	en/grill d rate gas grill ble rate gas grill entional gas oven oven/grill d rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven best ensive bake (top, bottom & fan) heat only heat only heat with fan with fan cook gy rating	
Function Fun	en/grill I rate gas grill ble rate gas grill entional gas oven oven/grill I rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven ost issive bake (top, bottom & fan) heat only heat with fan with fan cook gy rating features	
Function Fun	en/grill d rate gas grill ble rate gas grill entional gas oven oven/grill d rate electric grill ble rate electric grill ble rate dual circuit electric grill entional electric oven ed electric oven best ensive bake (top, bottom & fan) heat only heat only heat with fan with fan cook gy rating	

	Cavity dimensions (HxWxD mm)	
	Power (kW)	
	Energy consumption (Kwh)	
	No of shelves	
	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
	Oven light	
	Easy clean enamel	
	Door type	
	Door glazing	
	Viewing window	
	Door opening	
Time		
	Cook to off programmable timer	
	Analogue clock/programmer LED clock/minute minder	
	LED clock/prigrammer	
	Electronic clock / programmer	
	Touch Control programmer	Yes - cavity 2
Featı		TCS CUVICY Z
	Fascia cooling system	Yes
	Integrated splashback	
	Rotisserie	
	Adjustable feet	Yes
	Rear wheels	
Acces	ssories (included)	
	Removable cast griddle plate	
	Wok cradle	
	Grillpan/trivet	Yes
	Grillpan handle - metal	Yes
	Roasting tin	
	LPG Conversion kit (available separately)	
Remo	ovable Parts (for cleaning)	
	Hob burners	
	Pan supports	
	Inner door glass	
	Shelves	Yes
<u> </u>	Shelf runners	Yes
Insta	allation	
	Gas type	
	Gas inlet type	
	Gas inlet position	
	LPG convertible Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	14.1kw
	Total gas power load (kW)	1T.1KW
	Fuse size (A)	32
	Fitted 3 pin plug	J2
Dime	ensions	
	acked	
	Height (mm)	1035
	Width (mm)	1030
	Depth (mm)	720
	Weight (kg)	94
Pi	roduct	
	Height (mm)	900-930
	Width (mm)	900
	Depth (mm)	600
	Weight (kg)	87
Prod	uct Supply Information	
	Country of origin	UK
		2
	Palette quantity	
	Layer quantity	1
	Layer quantity No. layers	1 1
_	Layer quantity No. layers hes & codes	1
_	Layer quantity No. layers hes & codes olour 1	1 Stainless Steel
_	Layer quantity No. layers hes & codes olour 1 SKU code	1 Stainless Steel 444444079
_	Layer quantity No. layers hes & codes olour 1 SKU code EAN code	1 Stainless Steel
_	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description	1 Stainless Steel 444444079
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS)
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code EAN code	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS)
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code EAN code AS400/Aurora model description	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code EAS400/Aurora model description Exclusive	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078 5052263040786 BEL COOKCENTRE 90EI PROF
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code AS400/Aurora model description Exclusive colour 3	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078 5052263040786 BEL COOKCENTRE 90EI PROF
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code AS400/Aurora model description Exclusive colour 3 SKU code EXEM code AS400/Aurora model description Exclusive Colour 3 SKU code	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078 5052263040786 BEL COOKCENTRE 90EI PROF Black 444444080
Co	Layer quantity No. layers hes & codes olour 1 SKU code EAN code AS400/Aurora model description Exclusive olour 2 SKU code EAN code AS400/Aurora model description Exclusive olour 3 SKU code EAN code AS400/Aurora model description Exclusive olour 3 SKU code EAN code	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078 5052263040786 BEL COOKCENTRE 90EI PROF
Co	Layer quantity No. layers hes & codes colour 1 SKU code EAN code AS400/Aurora model description Exclusive colour 2 SKU code EAN code AS400/Aurora model description Exclusive colour 3 SKU code EXEM code AS400/Aurora model description Exclusive Colour 3 SKU code	1 Stainless Steel 444444079 5052263040793 BEL COOKCENTRE 90EI Sta Professional (SS) 444444078 5052263040786 BEL COOKCENTRE 90EI PROF Black 444444080