Ra	nge	
Brar	nd and Model	
	Brand	Belling
	Model	Farmhouse 100DFT
Sum	nmary	100cm Dual Fuel Range Cooker
	Product description (as in brochure) Product Type	Range Cooker
	Fuel	Dual Fuel
	Number of ovens	2
	Warranty period	1 year
	International market	·
	Range Overview	When it comes to the Farmhouse Collection tradition is the operative word. Charming traditional looks, combined with Belling's long-standing reputation for reliability, gives you a cooker that can take anything you throw at it, and still turn out perfect performance. Available in a selection of sizes, 4 fuel options and a range of colours that will feel at home in any kitchen.
	Product Overview	100cm Dual fuel range cooker with a 7 burner gas hob, fanned electric main oven, dedicated variable rate electric grill, conventional electric second oven, and storage compartment. Also features an LED touch control programmable timer with ar easy to read display. A/A rated energy efficiency
Key	Features:	Cover humans including 4Km DowerWell
	Key Feature 2	Seven burners including 4Kw PowerWok
	Key Feature 2	Variable rate electric grill Fanned electric main oven
	Key Feature 3	
	Key Feature 4	Conventional electric second oven
	Key Feature 5	Storage compartment
Hob	layout	
		2 4 7
	(diagram to be assigned)	5
		1 3 6
Cavi	ity layout	
	(diagram to be assigned)	2 4
Hob		
	Hob summary	7 Gas burners
	•	
	No of burners/elements Gas hob	7
	Burner 1 (kW)	Small (1.0)
	Burner 2 (kW)	Medium (2.0)
	Burner 3 (kW)	Medium (2.0)
	Burner 4 (kW)	Small (1.0)
	Burner 5 (kW)	Wok (4.0)
	Burner 6 (kW)	Large (3.0)
	Burner 7 (kW)	Medium (2.0)
+	Burner 8 (kW) Enamel pan supports	
	Cast iron pan supports	Yes
	Push button ignition	Yes
	Automatic ignition	
	Flame safety device	Yes
	Glass lid with auto shut off	
-	Cast lid	
E	Electric hob Element 1 (kW)	
	Element 2 (kW)	
	Element 3 (kW)	
	Element 4 (kW)	
	Element 5 (kW)	
	Element 5 (KW)	

	Element 6 (kW)	
	Element 7 (kW)	
	Touch control	
	Digital power display	
	Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function	
	Timer Function	
	Bridge Function	
	Easy clean ceramic glass surface	
Cavity		
	Position	Top left
	Main/second/third/fourth oven	
	Function	Grill
	Fuel	Electric
	No. of functions	1
	Programmable oven	
	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	ectric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	Yes
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
	vity features	25
	Actual capacity (litres)	35 28
	Usable capacity (litres) Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	Power (kW)	
	Energy consumption (Kwh)	Grill (1.85)
	No of shelves	1
	No of shelf positions	3
	Telescopic shelves	
	Usable area of shelves (WxD mm)	407mm x 307mm
	Oven light	107111111 X 307111111
	Easy clean enamel	Yes
	Door type	Metal
	Door glazing	
	Door glazing Viewing window	Drop-down
	Door glazing Viewing window Door opening	Drop-down
Cavity	Door glazing Viewing window Door opening	Drop-down Bottom left
Cavity	Door glazing Viewing window Door opening	·
Cavity	Door glazing Viewing window Door opening 7 2 Position	Bottom left
Cavity	Door glazing Viewing window Door opening 7 2 Position Main/second/third/fourth oven	Bottom left Second
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function	Bottom left Second Conventional Oven
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel	Bottom left Second Conventional Oven Electric
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven	Bottom left Second Conventional Oven Electric 3
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill	Bottom left Second Conventional Oven Electric 3 No
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost	Bottom left Second Conventional Oven Electric 3 No
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	Bottom left Second Conventional Oven Electric 3 No
Cavity Gas Ele	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	Bottom left Second Conventional Oven Electric 3 No
Cavity Gas Ele	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven sctric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only	Bottom left Second Conventional Oven Electric 3 No
Cavity	Door glazing Viewing window Door opening /2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan	Bottom left Second Conventional Oven Electric 3 No
Cavity	Door glazing Viewing window Door opening /2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan	Bottom left Second Conventional Oven Electric 3 No Yes No
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dectric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook	Bottom left Second Conventional Oven Electric 3 No Yes No
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Variable rate dectric grill Variable rate dectric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating	Bottom left Second Conventional Oven Electric 3 No Yes No
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features	Bottom left Second Conventional Oven Electric 3 No Yes No Yes A
Cavity Gas Ele	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	Bottom left Second Conventional Oven Electric 3 No Yes No Yes A 62
Cavity	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate ges oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres)	Bottom left Second Conventional Oven Electric 3 No Yes A 62 54
Cavity Gas Ele	Door glazing Viewing window Door opening / 2 Position Main/second/third/fourth oven Function Fuel No. of functions Programmable oven soven/grill Fixed rate gas grill Variable rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	Bottom left Second Conventional Oven Electric 3 No Yes No Yes A 62

	Energy consumption (Kwh)	0.79Kwh (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	
	Usable area of shelves (WxD mm)	407mm x 307mm
	Oven light	Yes
	Easy clean enamel	Yes
	Door type	Metal panel/glass viewing window
		· · · · · · · · · · · · · · · · · · ·
	Door glazing	Double
	Viewing window	Yes
	Door opening	Side opening
Cavity		
	Position	Top right
	Main/second/third/fourth oven	Main
	Function	Fanned Oven
	Fuel	Electric
	No. of functions	3
	Programmable oven	Yes
Ga	s oven/grill	163
Ga	Fixed rate gas grill	
	Variable rate gas grill	
	3 3	
	Conventional gas oven	
Ele	ectric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	103
\vdash		
\vdash	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	Yes
	Energy rating	A
Ca	vity features	
	Actual capacity (litres)	62
	Usable capacity (litres)	54
		-
	Usable Cavity dimensions (HxWxD mm)	350 x 420 x 395
	Power (kW)	2
	Energy consumption (Kwh)	0.79Kwh (Forced Air)
	Lifergy Consumption (KWII)	0.75KWII (1 orced All)
	Lifergy Consumption (KWII)	0.7 9KWII (I OICEU AII)
	No of shelves	2
	No of shelves No of shelf positions	
	No of shelves No of shelf positions Telescopic shelves	2 5
	No of shelves No of shelf positions Telescopic shelves	2 5
	No of shelves No of shelf positions	2
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm)	2 5 407mm x 307mm
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	2 5 407mm x 307mm Yes Yes
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes
Cavit	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes Side opening
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function	2 5 407mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes Side opening
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel soven/grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel soven/grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven sectric oven/grill Fixed rate electric grill Variable rate electric grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Variable rate gas grill Variable rate gas grill Conventional gas oven Extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Tonventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Tonventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate oual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Cavity dimensions (HxWxD mm) Power (kW)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate electric oven Function Ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate oul circuit electric grill Conventional electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	2 5 407mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right

	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
ıΤ	Oven light	
	Easy clean enamel	
	Door type	Metal
	Door glazing	rictal
	Viewing window	
	Door opening	Drop Down Compartment
Tim		Brop Bown comparament
	Cook to off programmable timer	
	Analogue clock/programmer	
	LED clock/minute minder	
	LED clock/programmer	Yes
	Electronic clock / programmer	ies
	Touch Control programmer	Voc. cavity 2
Eoz	ntures	Yes - cavity 3
ı ca	Fascia cooling system	Yes
	Integrated splashback	165
	Rotisserie	
	Adjustable feet	Yes
	Rear wheels	ies
A ===		
ACC	cessories (included)	
	Removable cast griddle plate	
\vdash	Wok cradle	V
\vdash	Grillpan/trivet	Yes
\vdash	Grillpan handle - metal	Yes
\vdash	Roasting tin	V
	LPG Conversion kit (available separately)	Yes
ĸer	movable Parts (for cleaning)	Vaa
\vdash	Hob burners	Yes
\vdash	Pan supports	Yes
\vdash	Inner door glass Shelves	No You
		Yes
7	Shelf runners	Yes
Ins	stallation	Net Cee
	Gas type	Nat Gas 1/2" BSP female
	Gas inlet type	·
	Gas inlet position	Rear right
	LPG convertible	Yes
	Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	6.3kw
	Total gas power load (kW)	14.5kw
	Fuse size (A)	32
D:	Fitted 3 pin plug	
	nensions Packed	
		1025
\vdash	Height (mm)	1035
\vdash	Width (mm)	1130
	Depth (mm)	720
	Weight (kg)	90
	Product	000 000
	Height (mm)	900-930
	Height (mm) Width (mm)	996
	Height (mm) Width (mm) Depth (mm)	996 600
	Height (mm) Width (mm) Depth (mm) Weight (kg)	996
	Height (mm) Width (mm) Depth (mm) Weight (kg) Moduct Supply Information	996 600 83
	Height (mm) Width (mm) Depth (mm) Weight (kg) Deduct Supply Information Country of origin	996 600 83 UK
	Height (mm) Width (mm) Depth (mm) Weight (kg) Deduct Supply Information Country of origin Palette quantity	996 600 83 UK 2
	Height (mm) Width (mm) Depth (mm) Weight (kg) Country of origin Palette quantity Layer quantity	996 600 83 UK 2 1
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Deduct Supply Information Country of origin Palette quantity Layer quantity No. layers	996 600 83 UK 2
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Country of origin Palette quantity Layer quantity No. layers ishes & codes	996 600 83 UK 2 1
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1	996 600 83 UK 2 1
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code	996 600 83 UK 2 1 1 Black 44444133
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code	996 600 83 UK 2 1
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description	996 600 83 UK 2 1 1 Black 444444133
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive	996 600 83 UK 2 1 1 1 Black 444444133 5052263041332
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description	996 600 83 UK 2 1 1 1 Black 444444133 5052263041332
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135
Pro	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) duct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive	996 600 83 UK 2 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 44444135 5052263041356 BEL FARMHOUSE 100DFT CRM
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4	996 600 83 UK 2 1 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 44444135 5052263041356 BEL FARMHOUSE 100DFT CRM
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code	996 600 83 UK 2 1 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356 BEL FARMHOUSE 100DFT CRM
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code EAN code	996 600 83 UK 2 1 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 44444135 5052263041356 BEL FARMHOUSE 100DFT CRM
Fini	Height (mm) Width (mm) Depth (mm) Weight (kg) Muct Supply Information Country of origin Palette quantity Layer quantity No. layers ishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code	996 600 83 UK 2 1 1 1 1 Black 44444133 5052263041332 BEL FARMHOUSE 100DFT BLK Cream 444444135 5052263041356 BEL FARMHOUSE 100DFT CRM