Ra	nge	
	id and Model	
	Brand	Belling
	Model	Farmhouse 110DFT
Sum	mary	
	Product description (as in brochure)	110cm Dual Fuel Range Cooker
	Product Type Fuel	Range Cooker Dual Fuel
	Number of ovens	Duai Fuei 2
	Warranty period	1 year
	International market	1 year
	211comacional market	
	Range Overview	When it comes to the Farmhouse Collection tradition is the operative word. Charming traditional looks, combined with Belling's long-standing reputation for reliability, gives you a cooker that can take anything you throw at it, and still turn out a perfect performance. Available in a selection of sizes, 4 fuel options and a range of colours that will feel at home in any kitchen.
	Product Overview	110cm Dual fuel range cooker with a 7 burner gas hob, fanned electric main oven, dedicated variable rate electric grill, conventional electric second oven, and storage compartment. Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency
Key	Features:	
	Key Feature 1	Seven burners including 4Kw PowerWok
	Key Feature 2	Variable rate electric grill
	Key Feature 3	Fanned electric main oven
	Key Feature 4	Conventional electric second oven
	Key Feature 5	Storage compartment
		Storage compartment
HOD	layout	
	(diagram to be assigned)	2 4 7 5 1 3 6
Cavi	ty layout	
	(diagram to be assigned)	2 4
Hob		
	Hob summary	7 Gas burners
	No of burners/elements	7
G	ias hob	
	Burner 1 (kW)	Small (1.0)
	Burner 2 (kW)	Medium (2.0)
	Burner 3 (kW)	Medium (2.0)
	Burner 4 (kW)	Small (1.0)
	Burner 5 (kW)	Wok (4.0)
	Burner 6 (kW) Burner 7 (kW)	Large (3.0) Medium (2.0)
	Burner 8 (kW)	riculuiii (2.0)
	Enamel pan supports	
	Cast iron pan supports	Yes
	Push button ignition	Yes
	Automatic ignition	
	Flame safety device	Yes
	Glass lid with auto shut off	
-	Cast lid	
-	Element 1 (kW)	
	Element 2 (kW)	
	Element 3 (kW)	
	Element 4 (kW)	
	, ,	
	Element 5 (kW)	

	Element 6 (kW)	
	Element 7 (kW)	
	Touch control	
	Digital power display	
	Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function	
	Timer Function	
	Bridge Function	
	Easy clean ceramic glass surface	
Cavity		
	Position	Top left
	Main/second/third/fourth oven	Top left
	Function	Grill
	Fuel	Electric
	No. of functions	1
	Programmable oven	1
	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	ctric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	Von
	Variable rate electric grill	Yes
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
	vity features	
	Actual capacity (litres)	39
	Usable capacity (litres)	31
	Usable Cavity dimensions (HxWxD mm)	180 x 470 x 430
	Power (kW)	Grill (1.85)
	Energy consumption (Kwh)	
	No of shelves	1
	No of shelf positions	3
	Telescopic shelves	
	Usable area of shelves (WxD mm)	467mm x 307mm
	Oven light	
	Easy clean enamel	Yes
	Door type	Metal
	Door glazing	
	Viewing window	
	Door opening	Drop-down
Cavity		
	Position	Bottom left
	Main/second/third/fourth oven	Second
	Function	Conventional Oven
	Fuel	Electric
	No. of functions	3
	Programmable oven	No
	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
	ctric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	Yes
	Fanned electric oven	
	Defrost	No
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	Yes
	Energy rating	A
	rity features	
	Actual capacity (litres)	71
	Usable capacity (litres)	61
		61 350 x 470 x 395

	Energy consumption (Kwh)	0.84Kwh (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	
	Usable area of shelves (WxD mm)	467mm x 307mm
	Oven light	Yes
	Easy clean enamel	Yes
	Door type	Metal panel/glass viewing window
	**	
	Door glazing	Double
	Viewing window	Yes
	Door opening	Side opening
Cavity		
	Position	Top right
	Main/second/third/fourth oven	Main
	Function	Fanned Oven
	Fuel	Electric
	No. of functions	3
	Programmable oven	Yes
Ga	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
Ele	ectric oven/grill	
EIE		
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	V
	Slow cook	Yes
	Energy rating	A
Ca	vity features	
	Actual capacity (litres)	71
	Usable capacity (litres)	61
	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 395
	Power (kW)	2
	,	
	Energy consumption (Kwh)	0.74Kwh (Forced Air)
	Energy consumption (Kwh)	0.74Kwh (Forced Air)
		, ,
	No of shelves	2
	No of shelves No of shelf positions	, ,
	No of shelves No of shelf positions Telescopic shelves	2 5
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm)	2 5 467mm x 307mm
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light	2 5 467mm x 307mm Yes
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	2 5 467mm x 307mm Yes Yes
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	2 5 467mm x 307mm Yes Yes
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes Side opening
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Cavity	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function	2 5 467mm x 307mm Yes Yes Metal panel/glass viewing window Double Yes Side opening
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel soven/grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Iss oven/grill Fixed rate gas grill Conventional gas oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Iss oven/grill Fixed rate gas grill Conventional gas oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Variable rate gas grill Conventional gas oven Ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Conventional gas oven Ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Variable rate gas grill Conventional gas oven Ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Conventional gas oven Ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Variable rate electric grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening / 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate electric grill	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Intercet oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Isia oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating wity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW)	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelves No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Intercet oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	2 5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right

	No of shelf positions	
	Telescopic shelves	
	Usable area of shelves (WxD mm)	
	Oven light	
	Easy clean enamel	
	Door type	Metal
	Door glazing	
	Viewing window	
	Door opening	Drop Down Compartment
Timer	r	
	Cook to off programmable timer	
	Analogue clock/programmer	
	LED clock/minute minder	
	LED clock/programmer	Yes
	Electronic clock / programmer	
	Touch Control programmer	Yes - cavity 3
Featu		
	Fascia cooling system	Yes
	Integrated splashback	
	Rotisserie	
	Adjustable feet	Yes
A	Rear wheels	
Acces	ssories (included) Removable cast griddle plate	
	Wok cradle	
	Grillpan/trivet	Yes
	Grillpan handle - metal	Yes
	Roasting tin	103
	LPG Conversion kit (available separately)	Yes
Remo	ovable Parts (for cleaning)	103
	Hob burners	Yes
	Pan supports	Yes
	Inner door glass	No
	Shelves	Yes
	Shelf runners	Yes
Insta	llation	
	Gas type	Nat Gas
	Gas inlet type	1/2" BSP female
	Gas inlet position	Rear right
	LPG convertible	Yes
	Electrical connection	Yes
	Supply voltage	240V
	Supply voltage	2701
	Total electrical power load (kW)	6.4kw
	Total electrical power load (kW) Total gas power load (kW)	6.4kw 14.5kw
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A)	6.4kw
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug	6.4kw 14.5kw
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions	6.4kw 14.5kw
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions acked	6.4kw 14.5kw 32
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions acked Height (mm)	6.4kw 14.5kw 32 1035
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions acked Height (mm) Width (mm)	6.4kw 14.5kw 32 1035 1230
	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions acked Height (mm) Width (mm) Depth (mm)	6.4kw 14.5kw 32 1035 1230 720
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg)	6.4kw 14.5kw 32 1035 1230
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg)	6.4kw 14.5kw 32 1035 1230 720 106
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm)	6.4kw 14.5kw 32 1035 1230 720
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm)	6.4kw 14.5kw 32 1035 1230 720 106
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm)	6.4kw 14.5kw 32 1035 1230 720 106
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Width (mm) Weight (kg)	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm)	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug msions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Width (mm) Country of origin Palette quantity	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) roduct Height (mm) Width (mm) Depth (mm) Width (mm) Country of origin	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99
Pa	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug msions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Width (mm) Country of origin Palette quantity	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug msions mcked Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Weight (kg) moduct The country of origin Palette quantity Layer quantity	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) eoduct Height (mm) Width (mm) Depth (mm) Weight (kg) Eoduct Height (mm) Width (mm) Depth (mm) Reight (kg) Eoduct Height (am) Formation Country of origin Palette quantity Layer quantity No. layers	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) educt Height (mm) Weight (mm) Weight (kg) Extra Supply Information Country of origin Palette quantity Layer quantity No. layers nes & codes	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) educt Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) For the size of the s	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) Educt Height (mm) Width (mm) Depth (mm) Width (mm) Country of origin Palette quantity Layer quantity No. layers nes & codes Dour 1 SKU code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 444444145
Produ	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) roduct Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Country of origin Palette quantity Layer quantity No. layers nes & codes Dour 1 SKU code EAN code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions etcked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) oct Supply Information Country of origin Palette quantity Layer quantity No. layers nes & codes plour 1 SKU code EAN code AS400/Aurora model description	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions etcked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) oct Supply Information Country of origin Palette quantity Layer quantity No. layers nes & codes SIOUR 1 SKU code EAN code AS400/Aurora model description Exclusive	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions facked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) oct Supply Information Country of origin Palette quantity Layer quantity No. layers nes & codes Slour 1 SKU code EAN code AS400/Aurora model description Exclusive Slour 2	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 999 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions etcked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) uct Supply Information Country of origin Palette quantity Layer quantity Layer quantity No. layers nes & codes plour 1 SKU code EAN code AS400/Aurora model description Exclusive Dlour 2 SKU code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions etcked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) oct Supply Information Country of origin Palette quantity Layer quantity Layer quantity No. layers nes & codes plour 1 SKU code EAN code EAN code ESKU code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Width (mm) Depth (mm) Weight (kg) uct Supply Information Country of origin Palette quantity Layer quantity No. layers nes & codes plour 1 SKU code EAN code AS400/Aurora model description Exclusive Dlour 2 SKU code EAN code AS400/Aurora model description	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug msions acked Height (mm) Width (mm) Depth (mm) Weight (kg) oduct Height (mm) Weight (kg) oduct Height (mm) Country of origin Palette quantity Layer quantity No. layers ack Code EAN code AS400/Aurora model description Exclusive Double to the code EAN code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug msions ncked Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Weight (kg) moduct Height (mm) Weight (kg) moduct Height (mm) Width (mm) Depth (mm) Weight (kg) moduct modulation Country of origin Palette quantity Layer quantity No. layers mes & codes modur 1 SKU code EAN code AS400/Aurora model description Exclusive plour 2 SKU code EAN code AS400/Aurora model description Exclusive plour 3	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions locked Height (mm) Width (mm) Depth (mm) Weight (kg) loduct Height (mm) Weight (kg) loduct Height (mm) Weight (kg) lotus Supply Information Country of origin Palette quantity Layer quantity No. layers los & codes lour 1 SKU code EAN code AS400/Aurora model description Exclusive Dour 3 SKU code EAN code AS400/Aurora model description Exclusive Dour 3 SKU code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions sicked Height (mm) Width (mm) Depth (mm) Weight (kg) roduct Height (mm) Weight (kg) roduct Height (mm) Weight (kg) Lect Supply Information Country of origin Palette quantity Layer quantity No. layers Layer quantity No. layers Layer Quantity SKU code EAN code AS400/Aurora model description Exclusive Diour 3 SKU code EAN code AS400/Aurora model description Exclusive Diour 3 SKU code EAN code AS400/Aurora model description Exclusive Diour 3 SKU code EAN code EAN code AS400/Aurora model description Exclusive Diour 3 SKU code EAN code	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions ecked Height (mm) Width (mm) Depth (mm) Weight (kg) Poduct Height (mm) Poduct H	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479
Produ Finish Co Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions locked Height (mm) Width (mm) Depth (mm) Weight (kg) loduct Height (mm) Weight (kg) loduct Height (mm) Weight (kg) locut Supply Information Country of origin Palette quantity Layer quantity No. layers loss & codes loour 1 SKU code EAN code AS400/Aurora model description Exclusive loour 3 SKU code EAN code AS400/Aurora model description Exclusive loour 3 SKU code EAN code AS400/Aurora model description Exclusive loour 3 SKU code EAN code AS400/Aurora model description Exclusive loour 3 SKU code EAN code AS400/Aurora model description Exclusive loour 3 SKU code EAN code AS400/Aurora model description Exclusive	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479 BEL FARMHOUSE 110DFT CRM
Produ Finish Co Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions locked Height (mm) Width (mm) Depth (mm) Weight (kg) loduct Height (mm) Width (mm) Depth (mm) Weight (kg) loct Supply Information Country of origin Palette quantity Layer quantity No. layers los & codes Slour 1 SKU code EAN code AS400/Aurora model description Exclusive Slour 3 SKU code EAN code AS400/Aurora model description Exclusive Slour 3 SKU code EAN code AS400/Aurora model description Exclusive Slour 3 SKU code EAN code AS400/Aurora model description Exclusive Slour 3 SKU code EAN code AS400/Aurora model description Exclusive Slour 3 SKU code EAN code AS400/Aurora model description Exclusive	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT BLK Cream 444444147 5052263041479 BEL FARMHOUSE 110DFT CRM
Produ Finish Co Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions locked Height (mm) Width (mm) Depth (mm) Weight (kg) Industry Height (mm) Width (mm) Depth (mm) Weight (kg) Industry Ind	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT CRM Silver 444444146 5052263041462
Produ Finish Co Co	Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug nsions locked Height (mm) Width (mm) Depth (mm) Weight (kg) loduct Height (mm) Width (mm) Depth (mm) Weight (kg) loct Supply Information Country of origin Palette quantity Layer quantity No. layers los & codes lour 1 SKU code EAN code AS400/Aurora model description Exclusive lour 3 SKU code EAN code AS400/Aurora model description Exclusive lour 3 SKU code EAN code AS400/Aurora model description Exclusive lour 3 SKU code EAN code AS400/Aurora model description Exclusive lour 3 SKU code EAN code AS400/Aurora model description Exclusive lour 3 SKU code EAN code AS400/Aurora model description Exclusive	6.4kw 14.5kw 32 1035 1230 720 106 900-930 1096 600 99 UK 2 1 1 1 1 Black 44444145 5052263041455 BEL FARMHOUSE 110DFT CRM Silver 444444146