	nge	
Brand	d and Model Brand	Belling
	Model	Farmhouse 110Ei
Sumr		Turrinouse 110E
	Product description (as in brochure) Product Type Fuel	110cm Induction Range Cooker Range Cooker Electric
	Number of ovens	2
	Warranty period	1 year
	International market	
	Range Overview	When it comes to the Farmhouse Collection tradition is the operative word. Charming traditional looks, combined with Belling's long-standing reputation for reliability, gives you a cooker that can take anything you throw at it, and still turn out perfect performance. Available in a selection of sizes, 4 fuel options and a range of colours that will feel at home in any kitchen.
	Product Overview	110cm Electric range cooker with a 5 zone electric induction hob fanned main oven, dedicated variable rate grill, conventional second oven, and storage compartment. Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency
Key F	Features:	
	Key Feature 2	Five induction cooking zones
	Key Feature 2	Variable rate electric grill Fanned electric main oven
	Key Feature 3	
	Key Feature 4	Conventional electric second oven
	Key Feature 5	Works on 32Amp Connection
Hob I	layout	
	(diagram to be assigned)	2 5 3 1 4
Cavit	y layout	
	(diagram to be assigned)	2 4
Hob	Hob summary	5 Induction Zones
	•	
G:	No of burners/elements as hob	5
	Burner 1 (kW)	
	Burner 2 (kW)	
	Burner 3 (kW)	
	Burner 4 (kW) Burner 5 (kW)	
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports	
	Cast iron pan supports	
	Push button ignition	
	Automatic ignition	
	Flame safety device Glass lid with auto shut off	
	Cast lid	
El	ectric hob	
	Element 1 (kW)	Small induction 1.2 - 1.4
	Element 2 (kW)	Medium induction 1.4 -2.0
	Element 3 (kW)	Large induction 2.3-3.0
	Element 4 (kW)	Small induction 1.2 - 1.4
	Element 5 (kW)	Medium induction 1.4 -2.0

F	Element 6 (kW)	
	Element 7 (kW)	
	Fouch control	Yes
	Digital power display	Yes
	Keep warm function	No
	Pan detection	Yes
	Pan overheat detection	Yes
	Child lock	Yes
	Boost function	Yes
1	Fimer Function	Yes
E	Bridge Function	Yes
	Easy clean ceramic glass surface	Yes
vity:	1	
F	Position	Top left
I	Main/second/third/fourth oven	
F	unction	Grill
F	Fuel	Electric
I	No. of functions	1
	Programmable oven	
	oven/grill	
	Fixed rate gas grill	
	/ariable rate gas grill	
	Conventional gas oven	
_	ctric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	<u> </u>
	/ariable rate electric grill	Yes
	/ariable rate dual circuit electric grill	
	Conventional electric oven	
F	anned electric oven	
	Defrost	
I	intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
_	Grill with fan	
	Slow cook	
	nergy rating	
	ity features	
	Actual capacity (litres)	39
	Jsable capacity (litres)	31
	Jsable Cavity dimensions (HxWxD mm)	180 x 470 x 430
F	Power (kW)	Grill (1.85)
E	Energy consumption (Kwh)	
l l	No of shelves	1
I	No of shelf positions	3
1	Telescopic shelves	
l	Jsable area of shelves (WxD mm)	467mm x 307mm
(Oven light	
	Easy clean enamel	Yes
	Door type	Metal
	Door glazing	rictui
	/iewing window	
		Duan dayun
	Door opening	Drop-down
vity 2		D.H 1-4
	Position	Bottom left
	Main/second/third/fourth oven	Second
	unction	Conventional Oven
	-uel	Electric
	No. of functions	3
	Programmable oven	No
	oven/grill	
	Fixed rate gas grill	
	/ariable rate gas grill	
	Conventional gas oven	
	ctric oven/grill	
	Fixed rate electric grill	
	/ariable rate electric grill	
	/ariable rate dual circuit electric grill	
	Conventional electric oven	Yes
F	Fanned electric oven	
	Defrost	No
I	intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
E	Frill with fan	
E	Grill with fan	Vac
E C	Slow cook	Yes
E (Slow cook Energy rating	Yes A
Cavi	Slow cook Energy rating ity features	A
E Cavi	Slow cook Energy rating ity features Actual capacity (litres)	A 71
E Cavi	Slow cook Energy rating i ty features Actual capacity (litres) Jsable capacity (litres)	71 61
E Cavi	Slow cook Energy rating ity features Actual capacity (litres)	A 71

	Energy consumption (Kwh)	0.79Kwh (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	
	Usable area of shelves (WxD mm)	467mm x 307mm
	Oven light	Yes
	Easy clean enamel	Yes
	Door type	Metal panel/glass viewing window
	Door glazing	Double
	Viewing window	Yes
	Door opening	Side opening
Cavity		
	Position	Top right
	Main/second/third/fourth oven	Main
	Function	Fanned Oven
	Fuel	Electric
	No. of functions	3
	Programmable oven	Yes
Ga	s oven/grill	165
Ga	Fixed rate gas grill	
	Variable rate gas grill	
	3 3	
	Conventional gas oven	
Ele	ectric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	103
\vdash		
\vdash	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	Yes
	Energy rating	A
Ca	vity features	
	Actual capacity (litres)	71
	Usable capacity (litres)	61
	Usable Cavity dimensions (HxWxD mm)	350 x 470 x 395
	Power (kW)	2
	Energy consumption (Kwh)	0.74Kwh (Forced Air)
	No of shelves	2
	No of shelf positions	2 5
	No of shelf positions Telescopic shelves	5
	No of shelf positions	
	No of shelf positions Telescopic shelves	5
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm)	5 467mm x 307mm
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel	5 467mm x 307mm Yes Yes
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes
Cavity	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double
Cavity	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening
Cavity	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes
Cavity	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Cavity	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Conventional gas oven sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening 4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate oual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Cavity dimensions (HxWxD mm) Power (kW)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel so oven/grill Fixed rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate electric grill Variable rate oual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right
Ga	No of shelf positions Telescopic shelves Usable area of shelves (WxD mm) Oven light Easy clean enamel Door type Door glazing Viewing window Door opening /4 Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Cavity dimensions (HxWxD mm) Power (kW)	5 467mm x 307mm Yes Yes Yes Metal panel/glass viewing window Double Yes Side opening Bottom right

Mo of shelf positions Telescopie shelves Usable area of shelves (WXD mm) Over light Don't pice mome! Cook to off programmable timer Analogue dock/programmer LED dock/minute minder LED dock/minute minute minut				
Usebale area of shelves (VAD mm) Oven light Easy dean enamel Door type Door glozing Door specing Door specing Timer Cook to off programmable timer Analogue clock (programmer LED book (minute minder LED book (minute minder LED book (minute minder) LED book (minute minute mi			No of shelf positions	
Dover light Easy clean ename Door type Door glazing Viewing window Door opening Door glazing Viewing window Door opening Door politic Door opening Door politic Door opening				
Easy clean ename				
Door type Door glazing Viewing window Door opening Timer Cook to off programmable timer Analogue clock/programmer LED clock/programmer LED clock/programmer LED clock/programmer LED clock/programmer LED clock/programmer Ves - cavity 3 Feature Fasta cooling system Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillipan/trivet Grillipan/			Oven light	
Door glazing Viewing window Drop Down Compartment			Easy clean enamel	
Viewing window Door opening Drop Down Compartment			Door type	Metal
Viewing window Door opening Drop Down Compartment				
Doro opening				
Timer Cook to off programmable timer Analogue dock/programmer LED dock/programmer LED dock/programmer LED dock/programmer Electronic dock / programmer Pestures Fascia cooling system Integrated splashbock Rotisserie Adjustable feet Adjustable feet Adjustable feet Grillpantymet Grillpantymet Grillpantymet Grillpantymet Hob Dumers Pan supports Pan supports Pan supports Pan supports Pan supports Pan supports Self runners Pestures Pan supports Gas inlet postion LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob Dumers Pan supports Pan supports Pan supports Pan supports Pan supports Self runners Pan supports Gas inlet postion LPG conversion kit (available of the support of the suppo				Dron Down Compartment
Cook to off programmable timer Analogue dock/programmer LED dock/minute minder LED dock/minute minder LED dock/minute minder Elettronic dock / programmer Pestures Festures Festures Fascia cooling system Touch control programmer Yes - cavity 3 Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Wok cradle Grillpan/trivet Grillpan/trive	Tim		bool opening	Brop Bown comparament
Analogue dock/programmer LED dock/programmer LED dock/programmer Touch Control programmer To			Cool, to off myory manable times.	
LED dock/mroute minder LED dock/programmer Electronic dock / programmer Features Features Fasdac cooling system Integrated splashback Rotisserie Adjustable feet Yes Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan/trivet Grillpan/trivet Grillpan/trivet Grillpan/trivet Grillpan/trivet Fasas cooling system Integrated splashback Robin State of the State of t				
LED dock/programmer Electronic clock / programmer Touch Control Program				
Electronic clock / programmer Yes - cavity 3		_	·	
Touch Control programmer Features Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (Included) Removable cast griddle plate Wok cradle Grillban/trivet Grillban handle - metal Roseting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Shelf runners Yes Installation Gas type Gas inlet position LPG convertible Electrical connection LPG convertible Electrical connection Yes Supply voltage 1014 electrical power load (kW) Total electrical power load (kW) Fuse size (A) Packed Height (mm) 1035 Packed Height (mm) 1035 Product Height (mm) 1096 Product Height (mm) 1096 Product Supply Information Country of origin Public Removers Product LPG conversion Removable Parts Removabl				Yes
Features Fascia cooling system Yes Integrated splashback Rotkserie Adjustable feet Yes Rear wheels Removable acts griddle plate Wok cradle Wok cradle Grillpan handle - metal Yes Roasting tin LPC Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelf runners Yes Yes Shelf runners Yes Yes Yes Shelf runners Yes Yes Yes Yes Shelf runners Yes Yes			Electronic clock / programmer	
Features Fascia cooling system Yes Integrated splashack Rotsserie Adjustable feet Yes Rear wheels Rear wheels Removable cast griddle plate Wok cradle Yes Grillpan handle - metal Yes Roasting tin LPS Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Yes Shelf runners Yes Installation Gas inlet position LPG convertible Gas inlet position LPG convertible Electrical connection Yes Supply voltage 240'V Total gas power load (kW) 13.8kw Total gas power load (kW) 32 Fase size (A) 33 Fase size (A) 34 Fase size (A)			Touch Control programmer	Yes - cavity 3
Integrated splashback Rotisserie Adjustable feet Rear Wheels Removel cast griddle plate Work cradile Grilipan/trivet Grilipan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Pan supports Pan supports Pan supports Pan supports Inner door glass No Shelves Shelf runners Yes Gas inlet type Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage 1 Total glas power load (kW) Total gas power load (kW) Total gas power load (kW) Fus size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Depth (mm) Width (mm) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Ley quantity Lay quantity Lay quantity Lay quantity No. layers 1 SKU code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 5 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 5 SKIV code LPA AS400/Aurora model description Exclusive LPA AS400/Aurora m	Fea	atur	res	•
Integrated splashback Rotisserie Adjustable feet Rear Wheels Removel cast griddle plate Work cradile Grilipan/trivet Grilipan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Pan supports Pan supports Pan supports Pan supports Inner door glass No Shelves Shelf runners Yes Gas inlet type Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage 1 Total glas power load (kW) Total gas power load (kW) Total gas power load (kW) Fus size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Depth (mm) Width (mm) Product Height (mm) Width (mm) Depth (mm) Weight (kg) Product Ley quantity Lay quantity Lay quantity Lay quantity No. layers 1 SKU code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 3 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 5 SKIV code LPA AS400/Aurora model description Exclusive Colour 4 SKIV code LPA AS400/Aurora model description Exclusive Colour 5 SKIV code LPA AS400/Aurora model description Exclusive LPA AS400/Aurora m			Fascia cooling system	Yes
Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grilipan fruitet Grilipan furbet Hob surners Pas supports Inner door glass Sheft runers Sheft runers Installation Gas Inlet type Gas inlet position LPC convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load gas power				
Adjustable feet Rear Wheels Accessories (included) Removable cast griddle plate Work cradle Grilipan frivitet Grilipan handle - metal Roasting tin LPS Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Shelf runners Yes Shelf runners Yes Gas inlet type Gas inlet type Gas inlet position LPS convertible Electrical connection Yes Supply voltage 10				
Rear wheels Accessories (included) Removable cast griddle plate Wok caddle Grilpan/trivet Grilpan/trivet Grilpan/trivet Grilpan/trivet Grilpan handle - metal Roasting tin HEG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Yes Shelf runners Fees Shelf runners Fees Gas inlet type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Fees Fitted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Depth (mm) Product Height (mm) Product Height (mm) Depth (mm) Product Height (mm) Depth (mm) Pales (available separately) Removable Parts Fitted 3 pin plug Product Supply Information Country of origin UK Pales (available separately) Layer quantity No. layers Intel Should available separately) Black A444444154 BAN Code A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 SKI Code A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 SKI Code A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 SKI Code A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 SKI Code A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 A5401 A5400/Aurora model description Exclusive Colour 3 SKI Code A5400/Aurora model description Exclusive Colour 4 A5401 A5400/Aurora model description Exclusive Colour 4 A5401 A5400/Aurora model description				Voc
Accessories (included) Removable cast griddle plate Mok cadalle Grillpan/trivet Grillpan handle - metal Roasting tin LPS Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner doroglass No Shelves Shelf runners Yes Gas inter type Hob burner Bettrical connection Yes Supply voltage Packed Total electrical power load (kW) Total electrical power load (kW) Fuse size (A) Fitted 3) in plug Dimensions Packed Height (mm) 1035 Packed Height (mm) 1035 Weight (kg) Pobeth (mm) Pobeth (mm) Depth (mm) Black Country of origin Palette quantity Layer quantity Layer quantity Layer quantity Layer quantity Layer quantity SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU260 SSIVer SKU code EAN code SSSU260 SSIVER SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 4 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 4 SKU code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU2600/Aurora model description Exclusive Colour 4 SKU code SSSU2600/Aurora model description Exclusive Colour 3 SKU code SSCU code SSSU2600/Aurora model description Exclusive Colour 3 SKU code EAN code SSSU263041554 AS400/Aurora model description				ies
Removable cast griddle plate Wok cradle Grilpan/trivet Grilpan handle - metal Roasting tin LPS Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Yes Shelf runners Gas inlet type Gas inlet type Gas inlet type Gas inlet position LPS convertible Electrical connection Yes Supply voltage Electrical connection Yes Supply voltage Total gas power load (kW) Total gas power load (kW) Fuse size (A) Product Height (mm) Depth (mm) D	_			
Wok cradle Grillpan handle - metal Rossting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Yes Shelf runners Yes Shelves Gas intet type Gas intet type Gas intet type Gas intet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Fitse size (A) Fitted 3 pin plup Dimensions Packed Height (mm) Depth (mm) Country of origin Palette quantity Layer quantity Layer quantity Layer quantity Layer quantity SkU code EAN code SSU Code EAN code SA400/Aurora model description Exclusive Colour 2 SkU code EAN code SSU Code EAN code SSU Silver SkU code EAN code SSU Code EAN code SSU Codour 3 SkU code EAN code SSU Codour 4 SkU code EAN code SSU Codour 4 SKU code EAN code SSU Codour 3 SkU code EAN code SSU Codour 4 SKU code EAN code SSU Codour 3 SkU code EAN code SSU Codour 4 SKU code EAN code SSU code SSU code EAN code SSU co	AC			
Grillpan handle - metal Yes		_	2 1	
Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Pan Supports Shelves Shelf runners Pan supports Shelves Shelf runners Gas type Gas intet type Gas intet position LPG convertible Electrical connection Supply voltage Supply voltage Total electrical power load (kW) Total age power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) 1035 Width (mm) 1230 Depth (mm) Product Height (mm) Width (mm) 1096 Depth (mm) 1096 Product Upply Information Country of origin Layer quantity Layer quantity Layer quantity Layer quantity Road Sold Sold Sold Sold Sold Sold Sold Sol				
Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Pan supports Shelves Shelf runners Pan supports Shelves Shelf runners Gas type Gas intet type Gas intet position LPG convertible Electrical connection Supply voltage Supply voltage Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Pimensions Packed Height (mm) Depth (mm) Product Height (mm) Product Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Product Height (kg) Product Supply Information Country of origin Layer quantity Layer quantity Layer quantity No. layers SkiU code AS400/Aurora model description Exclusive Colour 3 SkiU code AS400/Aurora model description Exclusive Colour 4 SkiU code AS400/Aurora model description Exclusive Colour 4 SkiU code AS400/Aurora model description Exclusive Colour 4 SkiU code AS400/Aurora model description Exclusive Colour 3 SkiU code AS400/Aurora model description Exclusive Colour 4 SkiU code AS400/Aurora model description			Grillpan/trivet	Yes
Roasting tin LPG Conversion kit (available separately)				Yes
Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Gas type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Dep				
Removable Parts (for cleaning) Hob burners Pan supports Inner door glass No Shelves Yes Shelf runners Yes Gas type Gas inlet position LPG convertible Electrical connection Yes Supply voltage 2,40V Total gas power load (kW) 13,8kw Total gas power load (kW) 12,20 Fuse size (A) 32 Fitted 3 pin plug Dimensions Packed Height (mm) 1035 Width (mm) 1230 Depth (mm) 720 Weight (kg) 95 Product Height (mm) 1096 Depth (mm) 600 Weight (kg) 88 Product Supply Information Country of origin UK Palette quantity 1 Layer quantity 1 No. layers 1 SKU code 4444441156 EAN code 5052263041547 AS400)Aurora model description Exclusive Colour Exclusive Colour SKU code 4444441156 EAN code AS400)Aurora model description Exclusive Colour SKU code 5052263041561 AS400)Aurora model description Exclusive Colour SKU code EAN code AS400)Aurora model description Exclusive Colour SKU code Colour AS400)Aurora model description Exclusive Colour SKU code EAN code AS400)Aurora model description Exclusive Colour SKU code Colour Colour SKU cod				
Hob burners	Pa			
Pan supports Inner door glass No Shelves Shelf runners Yes Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage 240V Total gas power load (kW) 13.8kw Total gas power load (kW) Total gas power load	ĸe		,	
Inner door glass No Shelves Yes Shelf runners Yes Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage 240V Total electrical power load (kW) 13.8kw Total aga power load (kW) Fuse size (A) 32 Fitted 3 pin plug Total electrical power load (kW) Fuse size (A) 32 Fitted 3 pin plug Total electrical power load (kW) Fuse size (A) 32 Fitted 3 pin plug Total electrical power load (kW) Fuse size (A) 32 Fitted 3 pin plug Total electrical power load (kW) Fuse size (A) 32 Fitted 3 pin plug Total electrical power load (kW) Fuse size (A) 95 Forduct Fuse size (A) 95 Fuse size (A) 96 Fuse size (A) 96 Fuse size (A) 96 Fuse size (A) 96 Fuse size (A) 97				
Shelves Yes				
Installation Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Popth (mm)				
Installation	LÌ	LI	Shelves	Yes
Installation			Shelf runners	Yes
Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Dipterions Packed Height (mm) Popth (mm	Ins	stal	lation	
Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) 1035 Peth (mm) 1230 Peth (mm) 1230 Peth (mm) 1230 Peth (mm) 900-930 Width (mm) 1096 Product Height (mm) 1096 Popth (mm) 1096 Popth (mm) 1096 Peth (mm) 1096 Popth (mm) 1096 Peth (mm) 1096 Popth (mm) 1096 Peth (mm) 1096 Popth (kg) 10 Pountry of origin 10 VK Palette quantity 2 Layer quantity 2 Layer quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Black EAN code 4444441154 EAN code EAN code 45400/Aurora model description Exclusive Colour 3 SKU code 4444441156 EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code EAN code SO52263041561 AS400/Aurora model description Exclusive Colour 4 SKU code EAN code SO52263041554 SKU code EAN code SO502263041554 SKU code SA500/Aurora model description Exclusive Colour 4 SEL FARMHOUSE 110EI SIL				
Gas inlet position LPG convertible LPG con				
LPG convertible Electrical connection Yes Supply voltage 240V 13.8kw 17.0tal electrical power load (kW) 13.8kw 7.0tal gas power load (kW) 7.0				
Electrical connection				
Supply voltage				
Total electrical power load (kW)		L I	Electrical connection	Yes
Total electrical power load (kW)			Supply voltage	240V
Total gas power load (kW) Fuse size (A) 32 Fitted 3 pin plug				· · · · · · · · · · · · · · · · · · ·
Fuse size (A) 32 Fitted 3 pin plug Dimensions Packed Height (mm)				20.0
Fitted 3 pin plug				27
Dimensions Packed				JL
Packed	·			
Height (mm)				
Width (mm)				4005
Depth (mm) 720 Weight (kg) 95 95 95 97 97 97 97 95 95				
Weight (kg) 95		_	, ,	1230
Product			Depth (mm)	720
Product			Weight (kg)	95
Height (mm) 900-930 Width (mm) 1096 Depth (mm) 600 Weight (kg) 88 Product Supply Information Country of origin UK Palette quantity 1 No. layers 1 Finishes & codes Colour 1 Black SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description Bel FARMHOUSE 110EI BLK EXClusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Bel FARMHOUSE 110EI CRM EXClusive Colour 3 SKU code EAN code 5052263041561 EAS code 5052263041561 EAN code 5052263041561 EXCLUSIVE SKU code 5052263041561 EAN code 5052263041554 EAN code 5052263041564 EAN code 505226304		_		
Width (mm) 1096		_		900-930
Depth (mm) 600 Weight (kg) 88 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Black SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description Bel FARMHOUSE 110EI BLK Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 EXClusive Colour 3 SKU code EAN code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code EAN code SKU code EAN code SKU code SK				
Weight (kg) 88 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Silver Colour 1 SKU code 444444156 EAN code 5052263041554 EAN code 50502063041554 EAN code 444444156 EAN code 50502263041554 EAN code 65052263041554 EAN code 65052263041554 EAN code 65052263041554 EAN code 65052263041554	Н			
Product Supply Information Country of origin Country of origin Layer quantity No. layers In Finishes & codes Colour 1 Black SKU code SKU code SA44444154 EAN code SKU code SKU code Exclusive Colour 2 Cream SKU code SKU				
Country of origin Palette quantity Palette quantity 1 No. layers 1 Finishes & codes Colour 1 Black SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description EXCUSIVE EAN code SKU code SKU code SKU code SKU code SKU code SKU code EAN code SKU code EAN code SKU code EAN code SSKU code EAN code SSKU code EAN code SKU code	╚			88
Palette quantity Layer quantity No. layers 1 Finishes & codes Colour 1 SKU code EAN code EAN code SKU code SKU code Exclusive Colour 2 Cream SKU code SA44444156 EAN code SKU code SA5263041561 EAN code SA5400/Aurora model description Exclusive Colour 3 SKU code EAN code SA5400/Aurora model description Exclusive Colour 3 SKU code EAN code SKU code SKU code SKU code SXBU c	Pro			
Layer quantity No. layers Finishes & codes Colour 1 SKU code 444444154 EAN code AS400/Aurora model description Exclusive Colour 2 Cream SKU code 444444156 EAN code SKU code 444444156 EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EXClusive Colour 3 SKU code EAN code SKU code EAN code SKU code EXClusive Colour 3 SKU code SKU code EAN code SKU code SKU code EAN code SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code SKU code SSU code SKU cod				UK
No. layers 1 Finishes & codes Colour 1 Black SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description Bel FARMHOUSE 110EI BLK Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Bel FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Bel FARMHOUSE 110EI CRM Exclusive Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description Exclusive Colour 4 Silver SKU code 5052263041554 BEL FARMHOUSE 110EI SIL	LÌ		Palette quantity	2
No. layers 1 Finishes & codes Colour 1 Black SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description Bel FARMHOUSE 110EI BLK Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Bel FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Bel FARMHOUSE 110EI CRM Exclusive Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description Exclusive Colour 4 Silver SKU code 5052263041554 BEL FARMHOUSE 110EI SIL		_		1
Finishes & codes Colour 1 SKU code 444444154 EAN code AS400/Aurora model description Exclusive Colour 2 SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code SKU code EXCUSIVE Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code BEL FARMHOUSE 110EI SIL			• • • • • • • • • • • • • • • • • • • •	
Colour 1 SKU code 444444154 EAN code 5052263041547 AS400/Aurora model description Exclusive Colour 2 SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Exclusive Colour 3 SKU code EXCUSIVE Colour 3 SKU code EAN code SU code EAN code SKU code EAN code SKU code EAN code SKU code EAN code SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code SSU code SO52263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL	Fir	_		<u> </u>
SKU code 44444154 EAN code 5052263041547 AS400/Aurora model description BEL FARMHOUSE 110EI BLK Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description BEL FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code EAN code EAN code SKU code EAN code SKU code EAN code SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code SSU code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL	"			Rlack
EAN code 5052263041547 AS400/Aurora model description BEL FARMHOUSE 110EI BLK Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description BEL FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code EAN code SKU code EAN code SKU code EAN code SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL				
AS400/Aurora model description Exclusive Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code AS400/Aurora model description BEL FARMHOUSE 110EI BLK BEL FARMHOUSE 110EI SIL				
Exclusive Colour 2 Cream			EAN code	5052263041547
Exclusive Colour 2 Cream			AS400/Aurora model description	BEL FARMHOUSE 110Ei BLK
Colour 2 Cream SKU code 444444156 EAN code 5052263041561 AS400/Aurora model description BEL FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL				
SKU code				Cream
EAN code 5052263041561 AS400/Aurora model description BEL FARMHOUSE 110EI CRM Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code SKU code SKU code BEL FARMHOUSE 110EI SIL				
AS400/Aurora model description Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code SAVOO/Aurora model description EXELUSIVE SKU code SAVOO/AURORA MODEL STAN CODE BEL FARMHOUSE 110EI SIL	<u> </u>			
Exclusive Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code 444444155 EAN code AS400/Aurora model description Exclusive SKU code SIlver SKU code 44444155 EAN code BEL FARMHOUSE 110EI SIL				
Colour 3 SKU code EAN code AS400/Aurora model description Exclusive Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL			AS400/Aurora model description	BEL FARMHOUSE 110Ei CRM
SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code EAN code AS400/Aurora model description BEL FARMHOUSE 110EI SIL		_	Exclusive	
SKU code EAN code AS400/Aurora model description Exclusive Colour 4 SKU code SKU code EAN code AS400/Aurora model description BEL FARMHOUSE 110EI SIL			Exclusive	
EAN code AS400/Aurora model description Exclusive Colour 4 SKU code EAN code EAN code SO52263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL				
AS400/Aurora model description Exclusive Colour 4 SKU code EAN code AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	lour 3	
Exclusive Silver Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	lour 3 SKU code	
Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	SKU code EAN code	
Colour 4 Silver SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	SKU code EAN code	
SKU code 444444155 EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	SKU code EAN code AS400/Aurora model description	
EAN code 5052263041554 AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	SKU code EAN code AS400/Aurora model description Exclusive	Silver
AS400/Aurora model description BEL FARMHOUSE 110EI SIL		Col	SKU code EAN code AS400/Aurora model description Exclusive	
·		Col	SKU code EAN code AS400/Aurora model description Exclusive lour 4 SKU code	444444155
Exclusive		Col	SKU code EAN code AS400/Aurora model description Exclusive lour 4 SKU code EAN code	44444155 5052263041554
		Col	SKU code EAN code AS400/Aurora model description Exclusive Iour 4 SKU code EAN code EAN code AS400/Aurora model description	44444155 5052263041554