

<b>Range</b>																												
<b>Brand and Model</b>		<b>Currys Belling Gourmet 90DFT</b>	<b>Currys Belling Gourmet 90E</b>	<b>Currys Belling Gourmet 90Ei</b>	<b>Currys Belling Gourmet 90G</b>																							
Brand																												
Model																												
<b>Summary</b>																												
Product description (as in brochure)	90cm Dual Fuel Range Cooker	90cm Ceramic Range Cooker	90cm Induction Range Cooker	90cm Gas Range Cooker																								
Product Type	Range Cooker	Range Cooker	Range Cooker	Range Cooker																								
Fuel	Dual Fuel	Electric	Electric	Gas																								
Number of ovens	3	3	3	2																								
Warranty period	1 year	1 year	1 year	1 year																								
International market																												
<b>Hob layout</b>																												
(diagram to be assigned)	<table border="1"><tr><td>2</td><td>5</td></tr><tr><td>1</td><td>3</td></tr><tr><td>4</td><td></td></tr></table>	2	5	1	3	4		<table border="1"><tr><td>2</td><td>5</td></tr><tr><td>1</td><td>3</td></tr><tr><td>4</td><td></td></tr></table>	2	5	1	3	4		<table border="1"><tr><td>2</td><td>4</td><td>5</td></tr><tr><td>1</td><td>3</td><td></td></tr></table>	2	4	5	1	3		<table border="1"><tr><td>2</td><td>5</td></tr><tr><td>1</td><td>3</td></tr><tr><td>4</td><td></td></tr></table>	2	5	1	3	4	
2	5																											
1	3																											
4																												
2	5																											
1	3																											
4																												
2	4	5																										
1	3																											
2	5																											
1	3																											
4																												
<b>Cavity layout</b>																												
(diagram to be assigned)	<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td></td></tr></table>	1	3	2		<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td></td></tr></table>	1	3	2		<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td></td></tr></table>	1	3	2		<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td></td></tr></table>	1	3	2									
1	3																											
2																												
1	3																											
2																												
1	3																											
2																												
1	3																											
2																												
<b>Hob</b>																												
<b>Hob summary</b>																												
	5 Gas burners	5 Ceramic Zones	4 Induction Zones 1 Warming Zone	5 Gas burners																								
No of burners/elements	5	5	4 + 1	5																								
<b>Gas hob</b>																												
Burner 1 (kW)	Medium (2.0)			Medium (2.0)																								
Burner 2 (kW)	Small (1.0)			Small (1.0)																								
Burner 3 (kW)	Wok (4.0)			Wok (4.0)																								
Burner 4 (kW)	Large (3.0)			Large (3.0)																								
Burner 5 (kW)	Medium (2.0)			Medium (2.0)																								
Burner 6 (kW)																												
Burner 7 (kW)																												
Burner 8 (kW)																												
Enamel pan supports																												
Cast iron pan supports	Yes			Yes																								
Push button ignition	Yes			Yes																								
Automatic ignition																												
Flame safety device	Yes			Yes																								
Glass lid with auto shut off																												
Cast lid																												
<b>Electric hob</b>																												
Element 1 (kW)		Medium (1.7)	Medium Induction 1.4 - 2.1																									
Element 2 (kW)		Small (1.2)	Medium Induction 1.4 - 2.1																									
Element 3 (kW)		Large Dual Zone (2.2)	Medium Induction 1.4 - 2.1																									
Element 4 (kW)		Small (1.2)	Medium Induction 1.4 - 2.1																									
Element 5 (kW)		Medium (1.7)	Warming Zone 0.1																									
Element 6 (kW)																												
Element 7 (kW)																												
Touch control			Yes																									
Digital power display			Yes																									
Keep warm function			No																									
Pan detection			Yes																									
Pan overheat detection			Yes																									
Child lock			Yes																									
Boost function			Yes																									
Timer Function			Yes																									
Bridge Function			Yes																									
Easy clean ceramic glass surface		Yes	Yes																									
<b>Cavity 1</b>																												
Position	Top left	Top left	Top left	Top left																								
Main/second/third/fourth oven	Third Oven	Third Oven	Third Oven																									
Function	Conventional Oven and Grill	Conventional Oven and Grill	Conventional Oven and Grill	Grill																								
Fuel	Electric	Electric	Electric	Gas																								
No. of functions	2	2	2	1																								
Programmable oven																												
<b>Gas oven/grill</b>																												
Fixed rate gas grill																												
Variable rate gas grill				Yes																								
Conventional gas oven																												
<b>Electric oven/grill</b>																												
Fixed rate electric grill																												
Fixed rate dual circuit electric grill																												
Variable rate electric grill																												
Variable rate dual circuit electric grill	Yes	Yes	Yes																									
Conventional electric oven	Yes	Yes	Yes																									
Fanned electric oven																												
Defrost																												
Intensive bake (top, bottom & fan)																												
Top heat only	No	No	No																									
Base heat only																												
Base heat with fan																												
Grill with fan																												
Slow cook																												
Energy rating	A	A	A	B																								
<b>Cavity features</b>																												
Actual capacity (litres)	35	35	35	35																								
Usable capacity (litres)	33	33	33	24																								
Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430	180 x 420 x 430	180 x 420 x 430	180 x 420 x 430																								
Power (kW)	Oven (1.4) Grill (2.7)	Oven (1.4) Grill (2.7)	Oven (1.4) Grill (2.7)	Grill (2.4)																								
Energy consumption (Kwh)	0.67Kwh	0.67Kwh	0.67Kwh																									
No of shelves	1	1	1	1																								
No of shelf positions	4	4	4	3																								
Telescopic shelves	Yes	Yes	Yes																									
Usable area of shelves (WxD mm)	407mm x 307mm	407mm x 307mm	407mm x 307mm	407mm x 307mm																								
Oven light																												
Easy clean enamel	Yes	Yes	Yes	Yes																								
Door type	Metal	Metal	Metal	Glass																								
Door glazing				Single																								
Viewing window	No	No	No	Yes																								
Door opening	Drop-down	Drop-down	Drop-down	Drop-down																								
<b>Cavity 2</b>																												
Position	Bottom left	Bottom left	Bottom left	Bottom left																								
Main/second/third/fourth oven	Main	Main	Main	Main																								
Function	Fanned Oven	Fanned Oven	Fanned Oven	Conventional Oven																								
Fuel	Electric	Electric	Electric	Gas																								
No. of functions	3	3	3	1																								
Programmable oven	Yes	Yes	Yes	No																								
<b>Gas oven/grill</b>																												

Fixed rate gas grill				
Variable rate gas grill				
Conventional gas oven				Yes
<b>Electric oven/grill</b>				
Fixed rate electric grill				
Variable rate electric grill				
Variable rate dual circuit electric grill				
Conventional electric oven				
Fanned electric oven	Yes	Yes	Yes	Yes
Defrost	Yes	Yes	Yes	Yes
Intensive bake (top, bottom & fan)				
Top heat only				
Base heat only				
Base heat with fan				
Grill with fan				
Slow cook	Yes	Yes	Yes	
Energy rating	A	A	A	A
<b>Cavity features</b>				
Actual capacity (litres)	64	64	64	64
Usable capacity (litres)	58	58	58	48
Usable Cavity dimensions (HxWxD mm)	350 x 420 x 395	350 x 420 x 395	350 x 420 x 395	350 x 420 x 315
Power (kW)	2kw	2kw	2kw	2.5kw
Energy consumption (Kwh)	0.73Kwh (Forced Air)	0.73Kwh (Forced Air)	0.73Kwh (Forced Air)	1.7Kwh (Conventional)
No of shelves	2	2	2	2
No of shelf positions	5	5	5	5
Telescopic shelves				
Usable area of shelves (WxD mm)	407mm x 307mm	407mm x 307mm	407mm x 307mm	407mm x 307mm
Oven light	Yes	Yes	Yes	Yes
Easy clean enamel	Yes	Yes	Yes	Yes
Door type	Glass	Glass	Glass	Glass
Door glazing	Double	Double	Double	Double
Viewing window	Yes	Yes	Yes	Yes
Door opening	Side opening	Side opening	Side opening	Side opening
<b>Cavity 3</b>				
Position	Right	Right	Right	Right
Main/second/third/fourth oven	Second	Second	Second	Second
Function	Tall Fanned Oven	Tall Fanned Oven	Tall Fanned Oven	Tall Fanned Oven
Fuel	Electric	Electric	Electric	Electric
No. of functions	3	3	3	3
Programmable oven	No	No	No	No
<b>Gas oven/grill</b>				
Fixed rate gas grill				
Variable rate gas grill				
Conventional gas oven				
<b>Electric oven/grill</b>				
Fixed rate electric grill				
Variable rate electric grill				
Variable rate dual circuit electric grill				
Conventional electric oven				
Fanned electric oven	Yes	Yes	Yes	Yes
Defrost	Yes	Yes	Yes	Yes
Intensive bake (top, bottom & fan)				
Top heat only				
Base heat only				
Base heat with fan				
Grill with fan				
Slow cook	Yes	Yes	Yes	Yes
Energy rating	A	A	A	A
<b>Cavity features</b>				
Actual capacity (litres)	91	91	91	91
Usable capacity (litres)	86	86	86	86
Usable Cavity dimensions (HxWxD mm)	620 x 350 x 395	620 x 350 x 395	620 x 350 x 395	620 x 350 x 395
Power (kW)	2.5	2.5	2.5	2.5
Energy consumption (Kwh)	0.94Kwh (Forced Air)	0.94Kwh (Forced Air)	0.94Kwh (Forced Air)	0.94Kwh (Forced Air)
No of shelves	3	3	3	3
No of shelf positions	25	25	25	25
Telescopic shelves				
Usable area of shelves (WxD mm)	335mm x 345mm	335mm x 345mm	335mm x 345mm	335mm x 345mm
Oven light	Yes	Yes	Yes	Yes
Easy clean enamel	Yes	Yes	Yes	Yes
Door type	Glass/Metal	Glass/Metal	Glass/Metal	Glass/Metal
Door glazing	Single	Single	Single	Single
Viewing window	No	No	No	No
Door opening	Side opening	Side opening	Side opening	Side opening
<b>Cavity 4</b>				
Position				
Main/second/third/fourth oven				
Function				
Fuel				
<b>Gas oven/grill</b>				
Fixed rate gas grill				
Variable rate gas grill				
Conventional gas oven				
<b>Electric oven/grill</b>				
Fixed rate electric grill				
Variable rate electric grill				
Variable rate dual circuit electric grill				
Conventional electric oven				
Fanned electric oven				
Defrost				
Intensive bake (top, bottom & fan)				
Top heat only				
Base heat only				
Base heat with fan				
Grill with fan				
Slow cook				
Energy rating				
<b>Cavity features</b>				
Actual capacity (litres)				
Usable capacity (litres)				
Cavity dimensions (HxWxD mm)				
Power (kW)				
Energy consumption (Kwh)				
No of shelves				
No of shelf positions				
Telescopic shelves				
Usable area of shelves (WxD mm)				
Oven light				
Easy clean enamel				
Door type				
Door glazing				
Viewing window				
Door opening				
<b>Timer</b>				

	Cook to off programmable timer				No
	Analogue clock/programmer				
	LED clock/minute minder				Yes
	LED clock/programmer	Yes	Yes	Yes	
	Electronic clock / programmer				
	Touch Control programmer	Yes - cavity 2	Yes - cavity 2	Yes - cavity 2	
<b>Features</b>					
	Fascia cooling system	Yes	Yes	Yes	Yes
	Integrated splashback				
	Rotisserie				
	Adjustable feet	Yes	Yes	Yes	Yes
	Rear wheels				
<b>Accessories (included)</b>					
	Removable cast griddle plate				
	Wok cradle				
	Grillpan/trivet	Yes	Yes	Yes	Yes
	Grillpan handle - metal	Yes	Yes	Yes	Yes
	Roasting tin				
	LPG Conversion kit (available separately)	Yes			
<b>Removable Parts (for cleaning)</b>					
	Hob burners	Yes			Yes
	Pan supports	Yes			Yes
	Inner door glass				
	Shelves	Yes	Yes	Yes	Yes
	Shelf runners	Yes	Yes	Yes	Yes
<b>Installation</b>					
	Gas type	Nat Gas			Nat Gas
	Gas inlet type	1/2" BSP female			1/2" BSP female
	Gas inlet position	Rear right			Rear right
	LPG convertible	Yes			
	Electrical connection	Yes	Yes	Yes	Yes
	Supply voltage	240V	240V	240V	240V
	Total electrical power load (kW)	7.3kw	15.2kw	14.9kw	2.5kw
	Total gas power load (kW)	12kw			16.8kw
	Fuse size (A)	32	32	32	13
	Fitted 3 pin plug				Yes
<b>Dimensions</b>					
<b>Packed</b>					
	Height (mm)	1035	1035	1035	1035
	Width (mm)	1030	1030	1030	1030
	Depth (mm)	720	720	720	720
	Weight (kg)	91	98	95	88
<b>Product</b>					
	Height (mm)	900-930	900-930	900-930	900-930
	Width (mm)	900	900	900	900
	Depth (mm)	600	600	600	600
	Weight (kg)	84	80	88	80
<b>Product Supply Information</b>					
	Country of origin	UK	UK	UK	UK
	Palette quantity	2	2	2	2
	Layer quantity	1	1	1	1
	No. layers	1	1	1	1
<b>Finishes &amp; codes</b>					
<b>Colour 1</b>					
	SKU code				
	EAN code				
	AS400/Aurora model description				
	Exclusive				
<b>Colour 2</b>					
	SKU code	Professional (SS) 44444065	Professional (SS) 44444066	Professional (SS) 44444068	Professional (SS) 44444067
	EAN code	5052263040656	5052263040663	5052263040687	5052263040670
	AS400/Aurora model description	BEL GOURMET 90DFT PROF Sta	BEL GOURMET 90E PROF Sta	BEL GOURMET 90EI PROF Sta	BEL GOURMET 90G PROF Sta
	Exclusive	Currys	Currys	Currys	Currys