

<b>Range</b>																																
<b>Brand and Model</b>																																
Brand	<b>Belling</b>	<b>Belling</b>	<b>Belling</b>	<b>Belling</b>																												
Model	<b>Sandringham 90DFT</b>	<b>Sandringham 100DFT</b>	<b>Sandringham 100E</b>	<b>Sandringham 100GT LPG</b>																												
<b>Summary</b>																																
Product description (as in brochure)	90cm Dual Fuel Range Cooker	100cm Dual Fuel Range Cooker	100cm Ceramic Range Cooker	110cm Gas LPG Range Cooker																												
Product Type	Range Cooker	Range Cooker	Range Cooker	Range Cooker																												
Fuel	Dual Fuel	Dual Fuel	Electric	Gas																												
Number of ovens	2	2	2	2																												
Warranty period	1 year	1 year	1 year	1 year																												
International market																																
<b>Hob layout</b>																																
(diagram to be assigned)	<table border="1"><tr><td>2</td><td>5</td></tr><tr><td>1</td><td>3</td><td>4</td></tr></table>	2	5	1	3	4	<table border="1"><tr><td>2</td><td>4</td><td>7</td></tr><tr><td>1</td><td>3</td><td>5</td><td>6</td></tr></table>	2	4	7	1	3	5	6	<table border="1"><tr><td>3</td><td>5</td></tr><tr><td>1</td><td>4</td><td>6</td></tr><tr><td>2</td><td></td><td></td></tr></table>	3	5	1	4	6	2			<table border="1"><tr><td>2</td><td>4</td><td>5</td><td>7</td></tr><tr><td>1</td><td>3</td><td>6</td><td></td></tr></table>	2	4	5	7	1	3	6	
2	5																															
1	3	4																														
2	4	7																														
1	3	5	6																													
3	5																															
1	4	6																														
2																																
2	4	5	7																													
1	3	6																														
<b>Cavity layout</b>																																
(diagram to be assigned)	<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>4</td></tr></table>	1	3	2	4	<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>4</td></tr></table>	1	3	2	4	<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>4</td></tr></table>	1	3	2	4	<table border="1"><tr><td>1</td><td>3</td></tr><tr><td>2</td><td>4</td></tr></table>	1	3	2	4												
1	3																															
2	4																															
1	3																															
2	4																															
1	3																															
2	4																															
1	3																															
2	4																															
<b>Hob</b>																																
<b>Hob summary</b>	5 Gas burners	7 Gas burners	5 Zones +1 Warming Zone	7 Gas burners																												
No of burners/elements	5	7	6	7																												
<b>Gas hob</b>																																
Burner 1 (kW)	Medium (2.0)	Small (1.0)		Small (1.0)																												
Burner 2 (kW)	Small (1.0)	Medium (2.0)		Medium (2.0)																												
Burner 3 (kW)	Wok (4.0)	Medium (2.0)		Medium (2.0)																												
Burner 4 (kW)	Large (3.0)	Small (1.0)		Small (1.0)																												
Burner 5 (kW)	Medium (2.0)	Wok (4.0)		Wok (4.0)																												
Burner 6 (kW)		Large (3.0)		Large (3.0)																												
Burner 7 (kW)		Medium (2.0)		Medium (2.0)																												
Burner 8 (kW)																																
Enamel pan supports																																
Cast iron pan supports	Yes	Yes		Yes																												
Push button ignition	Yes	Yes		Yes																												
Automatic ignition																																
Flame safety device	Yes	Yes		Yes																												
Glass lid with auto shut off																																
Cast lid																																
<b>Electric hob</b>																																
Element 1 (kW)			Warming Zone (0.1)																													
Element 2 (kW)			Medium (1.8)																													
Element 3 (kW)			Small (1.2)																													
Element 4 (kW)			Dual Zone (2.2)																													
Element 5 (kW)			Medium (1.8)																													
Element 6 (kW)			Small (1.2)																													
Element 7 (kW)																																
Touch control																																
Digital power display																																
Keep warm function																																
Pan detection																																
Pan overheat detection																																
Child lock																																
Boost function																																
Timer Function																																
Bridge Function																																
Easy clean ceramic glass surface			Yes																													
<b>Cavity 1</b>																																
Position	Top left	Top left	Top left	Top left																												
Main/second/third/fourth oven																																
Function	Grill	Grill	Grill	Grill																												
Fuel	Electric	Electric	Electric	Gas																												
No. of functions	1	1	1	1																												
Programmable oven																																
<b>Gas oven/grill</b>																																
Fixed rate gas grill																																
Variable rate gas grill				Yes																												
Conventional gas oven																																
<b>Electric oven/grill</b>																																
Fixed rate electric grill																																
Variable rate electric grill	Yes	Yes	Yes																													
Variable rate dual circuit electric grill																																
Conventional electric oven																																
Fanned electric oven																																
Defrost																																
Intensive bake (top, bottom & fan)																																
Top heat only																																
Base heat only																																
Base heat with fan																																
Grill with fan																																
Slow cook																																
Energy rating																																
<b>Cavity features</b>																																
Actual capacity (litres)	35	35	35	39																												
Usable capacity (litres)	28	28	28	27																												
Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430	180 x 420 x 430	180 x 420 x 430	180 x 470 x 430																												
Power (kW)	Grill (1.85)	Grill (1.85)	Grill (1.85)	Grill (2.4)																												
Energy consumption (Kwh)																																
No of shelves	1	1	1	1																												
No of shelf positions	3	3	3	3																												
Telescopic shelves																																
Usable area of shelves (WxD mm)	407mm x 307mm	407mm x 307mm	407mm x 307mm	467mm x 307mm																												
Oven light																																
Easy clean enamel	Yes	Yes	Yes	Yes																												
Door type	Metal	Metal	Metal	Metal																												
Door glazing																																
Viewing window																																
Door opening	Drop-down	Drop-down	Drop-down	Drop-down																												
<b>Cavity 2</b>																																
Position	Bottom left	Bottom left	Bottom left	Bottom left																												
Main/second/third/fourth oven	Main	Second	Second	Main																												
Function	Fanned Oven	Conventional Oven	Conventional Oven	Conventional Oven																												
Fuel	Electric	Electric	Electric	Gas																												
No. of functions	3	3	3	1																												
Programmable oven	Yes			Yes																												
<b>Gas oven/grill</b>																																
Fixed rate gas grill																																
Variable rate gas grill																																
Conventional gas oven				Yes																												
<b>Electric oven/grill</b>																																
Fixed rate electric grill																																
Variable rate electric grill																																
Variable rate dual circuit electric grill																																
Conventional electric oven		Yes	Yes																													
Fanned electric oven	Yes																															
Defrost	Yes																															
Intensive bake (top, bottom & fan)																																
Top heat only																																
Base heat only																																
Base heat with fan																																
Grill with fan																																
Slow cook	Yes	Yes	Yes																													
Energy rating	A	A	A	A																												
<b>Cavity features</b>																																
Actual capacity (litres)	62	64	64	64																												
Usable capacity (litres)	58	60	60	48																												
Usable Cavity dimensions (HxWxD mm)	350 x 420 x 395	350 x 420 x 395	350 x 420 x 395	350 x 470 x 315																												
Power (kW)	2kw	2kw	2kw	2.5kw																												

Energy consumption (Kwh)	0.72Kwh (Forced Air)	0.77kwh (Conventional)	0.77kwh (Conventional)	1.49kwh (Conventional)
No of shelves	2	2	2	2
No of shelf positions	5	5	5	5
Telescopic shelves				
Usable area of shelves (WxD mm)	407mm x 307mm	407mm x 307mm	407mm x 307mm	467mm x 307mm
Oven light	Yes	Yes	Yes	Yes
Easy clean enamel	Yes	Yes	Yes	Yes
Door type	Metal panel/glass viewing window	Metal panel/glass viewing window	Metal panel/glass viewing window	Metal panel/glass viewing window
Door glazing	Double	Double	Double	Double
Viewing window	Yes	Yes	Yes	Yes
Door opening	Side opening	Side opening	Side opening	Side opening
<b>Cavity 3</b>				
Position	Right	Top right	Top right	Top right
Main/second/third/fourth oven	Second	Main	Main	Second
Function	Tall Fanned Oven	Fanned Oven	Fanned Oven	Conventional
Fuel	Electric	Electric	Electric	Gas
No. of functions	2	3	3	1
Programmable oven	Yes	Yes	Yes	
<b>Gas oven/grill</b>				
Fixed rate gas grill				
Variable rate gas grill				
Conventional gas oven				Yes
<b>Electric oven/grill</b>				
Fixed rate electric grill				
Variable rate electric grill				
Variable rate dual circuit electric grill				
Conventional electric oven				
Fanned electric oven	Yes	Yes	Yes	
Defrost	Yes	Yes	Yes	
Intensive bake (top, bottom & fan)				
Top heat only				
Base heat only				
Base heat with fan				
Grill with fan				
Slow cook	Yes	Yes	Yes	
Energy rating	A	A	A	A
<b>Cavity features</b>				
Actual capacity (litres)	91	62	62	62
Usable capacity (litres)	86	58	58	48
Usable Cavity dimensions (HxWxD mm)	620 x 350 x 395	350 x 420 x 395	350 x 420 x 395	350 x 470 x 315
Power (kW)	2.5	2	2	2.5
Energy consumption (Kwh)	0.81Kwh (Forced Air)	0.70Kwh (Forced Air)	0.70Kwh (Forced Air)	1.44kwh (Conventional)
No of shelves	3	2	2	2
No of shelf positions	25	5	5	5
Telescopic shelves				
Usable area of shelves (WxD mm)	335mm x 345mm	407mm x 307mm	407mm x 307mm	467mm x 307mm
Oven light	Yes	Yes	Yes	Yes
Easy clean enamel	Yes	Yes	Yes	Yes
Door type	Metal	Metal panel/glass viewing window	Metal panel/glass viewing window	Metal panel/glass viewing window
Door glazing		Double	Double	Double
Viewing window	No	Yes	Yes	Yes
Door opening	Side opening	Side opening	Side opening	Side opening
<b>Cavity 4</b>				
Position		Bottom right	Bottom right	Bottom right
Main/second/third/fourth oven				
Function		Storage	Storage	Storage
Fuel				
<b>Gas oven/grill</b>				
Fixed rate gas grill				
Variable rate gas grill				
Conventional gas oven				
<b>Electric oven/grill</b>				
Fixed rate electric grill				
Variable rate electric grill				
Variable rate dual circuit electric grill				
Conventional electric oven				
Fanned electric oven				
Defrost				
Intensive bake (top, bottom & fan)				
Top heat only				
Base heat only				
Base heat with fan				
Grill with fan				
Slow cook				
Energy rating				
<b>Cavity features</b>				
Actual capacity (litres)				
Usable capacity (litres)				
Cavity dimensions (HxWxD mm)				
Power (kW)				
Energy consumption (Kwh)				
No of shelves				
No of shelf positions				
Telescopic shelves				
Usable area of shelves (WxD mm)				
Oven light				
Easy clean enamel				
Door type		Metal	Metal	Metal
Door glazing				
Viewing window				
Door opening		Drop Down Door	Drop Down Door	Drop Down Door
<b>Timer</b>				
Cook to off programmable timer				
Analogue clock/programmer				
LED clock/minute minder				Yes
LED clock/programmer	Yes	Yes	Yes	
Electronic clock / programmer				
Touch Control programmer				
<b>Features</b>				
Fascia cooling system	Yes	Yes	Yes	Yes
Integrated splashback				
Rotisserie				
Adjustable feet	Yes	Yes	Yes	Yes
Rear wheels	No	No	No	No
<b>Accessories (included)</b>				
Removable cast griddle plate				
Wok cradle				
Grillpan/trivet	Yes	Yes	Yes	Yes
Grillpan handle - metal	Yes	Yes	Yes	Yes
Roasting tin				
LPG Conversion kit (available separately)	Yes	Yes		
<b>Removable Parts (for cleaning)</b>				
Hob burners	Yes	Yes		Yes
Pan supports	Yes	Yes		Yes
Inner door glass				
Shelves	Yes	Yes	Yes	Yes
Shelf runners	Yes	Yes	Yes	Yes
<b>Installation</b>				
Gas type	Nat Gas	Nat Gas		LPG Gas
Gas inlet type	1/2" BSP female	1/2" BSP female		1/2" BSP female
Gas inlet position	Rear right	Rear right		Rear right
LPG convertible	Yes	Yes		Yes
Electrical connection	Yes	Yes	Yes	Yes
Supply voltage	240V	240V	240V	240V
Total electrical power load (kW)	6.5kw	6.3kw	13.9kw	
Total gas power load (kW)	11.5kw	14.5kw		21.9kw
Fuse size (A)	32	32	45	13
Fitted 3 pin plug				Yes
<b>Dimensions</b>				
<b>Packed</b>				
Height (mm)	1035	1035	1035	1035
Width (mm)	1030	1130	1130	1130
Depth (mm)	720	720	720	720

Weight (kg)	91.7	95.75	102.35	95.1
<b>Product</b>				
Height (mm)	922	900-930	900-930	900-930
Width (mm)	900	1000	1000	1000
Depth (mm)	600	600	600	600
Weight (kg)	83.8	87.65	94.25	87
<b>Product Supply Information</b>				
Country of origin	UK	UK	UK	UK
Palette quantity	2	2	2	2
Layer quantity	1	1	1	1
No. layers	1	1	1	1
<b>Finishes &amp; codes</b>				
<b>Colour 1</b>	<b>Black</b>	<b>Black</b>	<b>Black</b>	
SKU code	44444108	44444111	44444114	
EAN code	5052263041080	5052263041110	5052263041141	
AS400/Aurora model description	BEL SANDRINGHAM 90DFT BIK	BEL SANDRINGHAM 100DFT BIK	BEL SANDRINGHAM 100E BIK	
Exclusive				
<b>Colour 2</b>	<b>Silver</b>	<b>Silver</b>	<b>Silver</b>	<b>Silver</b>
SKU code	44444109	44444112	44444115	44444120
EAN code	5052263041097	5052263041127	5052263041158	5052263041202
AS400/Aurora model description	BEL SANDRINGHAM 90DFT SII	BEL SANDRINGHAM 100DFT SII	BEL SANDRINGHAM 100E SII	BEL SANDRINGHAM 100G LPG SII
Exclusive				
<b>Colour 3</b>	<b>Cream</b>	<b>Cream</b>	<b>Cream</b>	
SKU code	44444110	44444113	44444116	
EAN code	5052263041103	5052263041134	5052263041165	
AS400/Aurora model description	BEL SANDRINGHAM 90DFT Cr	BEL SANDRINGHAM 100DFT Cr	BEL SANDRINGHAM 100E Cr	
Exclusive				