	nge d and Model		
DIAII	nd and Model Brand	Belling	
	Model	Cookcentre 100G	
Sumi	mary	- COOKCOING 2000	
	Product description (as in brochure)	100cm Gas Range Cooker	
	Product Type	Range Cooker	
	Fuel	Gas	
	Number of ovens	2	
	Warranty period International market	1 year	
	THE HALIOHAI HIAI KEL		
	Range Overview	With its contemporary looks, all the size and fuel options you could even need and a stylish choice of finished the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that help you turn out the perfect mean every time.	
	Product Overview	100cm Gas range cooker with a 7 burner gas hob, conventional gas main oven, dedicated variable rate gas grill, conventional gas second oven, and storage compartment. Also features an LED touch controprogrammable timer with an easy read display. A/A rated energy efficiency	
key f	Features:	Course by the state of the stat	
	Key Feature 1	Seven burners including 4Kw PowerWok	
	Key Feature 2	Open door grilling with variable ga	
	Key Feature 3	Conventional gas main oven	
	Key Feature 4	Conventional gas second oven	
	Key Feature 5	Works on 13Amp standard plug	
Hob !	ayout	connection	
пові	ayout		
	(diagram to be assigned)	2 4 7 5 1 3 6	
Cavit	y layout		
	(diagram to be assigned)	1 3 2 4	
Hob			
	Hob summary	7 Gas burners	
	No of burners/elements	7	
G	as hob Burner 1 (kW)	Small (1.0)	
	Burner 2 (kW)	Medium (2.0)	
	Burner 3 (kW)	Medium (2.0)	
	Burner 4 (kW)	Small (1.0)	
	Burner 5 (kW)	Wok (4.0)	
	Burner 6 (kW)	Large (3.0)	
	Burner 7 (kW)	Medium (2.0)	
	Burner 8 (kW)		
	Enamel pan supports		
	Cast iron pan supports	Yes	
	Push button ignition	Yes	
	Automatic ignition		
	Flame safety device	Yes	
	Glass lid with auto shut off Cast lid		
	ectric hob		
EI	Element 1 (kW)		
El	, ,		
EI	Element 2 (kW)		
El	Element 2 (kW) Element 3 (kW)		
EI	Element 2 (kW) Element 3 (kW) Element 4 (kW)		
EI	Element 2 (kW) Element 3 (kW) Element 4 (kW) Element 5 (kW)		
EI	Element 2 (kW) Element 3 (kW) Element 4 (kW)		

	Digital power display	
	Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function	
	Timer Function	
	Bridge Function	
	Easy clean ceramic glass surface	
Cav	vity 1	
	Position	Top left
	Main/second/third/fourth oven	
	Function	Grill
	Fuel	Gas
	No. of functions	1
	Programmable oven	
	Gas oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	Yes
	Open Door Grilling	Yes
	Conventional gas oven	
	Electric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
	Energy rating	
	Cavity features	
	Actual capacity (litres)	35
	Usable capacity (litres)	24
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	Power (kW)	Grill (2.4)
	Energy consumption (Kwh)	
	No of shelves	1
	No of shelf positions	3
	Telescopic shelves	3
	Usable area of shelves (WxD mm)	407mm x 307mm
	Oven light	16711111 X 367111111
	Easy clean enamel	Yes
	Door type	Glass
	Door glazing	Single
	Viewing window	Yes
	Door opening	Drop-down
Cav	vity 2	•
	Position	Bottom left
	Main/second/third/fourth oven	Main
	Function	Conventional Oven
	Fuel	Gas
	No. of functions	1
	Programmable oven	No
	Gas oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	Yes
	Electric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	No
	Energy rating Cavity features	Α
	Cavity features	64
	Actual capacity (litres)	60
	Usable capacity (litres) Usable Cavity dimensions (HxWxD mm)	350 x 420 x 315
	Power (kW)	2.5kw
	Energy consumption (Kwh)	1.48Kwh (Conventional)
	No of shelves	2
	No of shelf positions	5
	Telescopic shelves	J
$ldsymbol{\sqcup}$	i didddopid dildiadd	

	sable area of shelves (WxD mm)	407mm x 307mm
	ven light	Yes
	asy clean enamel	Yes
	oor type	Glass
	oor glazing	Double
	iewing window	Yes
	oor opening	Side opening
vity 3		
	osition	Top right
	lain/second/third/fourth oven	Second
	unction	Conventional
	uel	Gas
N	o. of functions	1
	rogrammable oven	No
	oven/grill	
	ixed rate gas grill	
	ariable rate gas grill	
С	onventional gas oven	Yes
	tric oven/grill	
	ixed rate electric grill	
V	ariable rate electric grill	
	ariable rate dual circuit electric grill	
	onventional electric oven	
F	anned electric oven	No
	efrost	No
	ntensive bake (top, bottom & fan)	
	op heat only	
	ase heat only	
	ase heat with fan	
	rill with fan	
	low cook	No
	nergy rating	A
	ty features	
	ctual capacity (litres)	62
	sable capacity (litres)	60
	sable Cavity dimensions (HxWxD mm)	350 x 420 x 315
	ower (kW)	2.5
F	nergy consumption (Kwh)	
	3,	1.48Kwh (Conventional)
N	o of shelves	2
	o of shelf positions	5
	elescopic shelves	<u>_</u>
	sable area of shelves (WxD mm)	407mm x 307mm
	ven light	Yes
	asy clean enamel	Yes
	oor type	Glass
	oor type oor glazing	Double
	iewing window	Yes
	oor opening	Side opening
vity 4		Side opening
	osition	Bottom right
	lain/second/third/fourth oven	_ =====================================
	unction	Storage
	uel	Storage
1	oven/grill	
Gas	ixed rate gas grill	
	ALAI IIIIL MILLENNI	
F		
F	ariable rate gas grill	
F V C	ariable rate gas grill onventional gas oven	
V C Elec	ariable rate gas grill onventional gas oven tric oven/grill	
F V C Elect	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill	
F V C Elect	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill	
F V C Elect	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill	
Flect Flect V	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven	
F V C Elect	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven	
Flect Flect F	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost	
Flect Flect V V C C F III	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan)	
Flect Flet Flect Flect Flect Flect Flet Flet Flet Flet Flet Flet Flet Fle	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only	
Flect Flet Flect Flect Flect Flect Flet Flet Flet Flet Flet Flet Flet Fle	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only	
F V V V C C F D III	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat with fan	
Flect Flect V V C C F III	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan	
FIECU FF VV VV CC FF DD III BB BB GG SS	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook	
F V V V C C F D I I I B B B G G S E	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating	
F VV VV CC F F D III T T B B G C S E E Cavi	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features	
Flect Flect V V C F D III T B B C S E C C C A	ariable rate gas grill conventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill conventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres)	
Flectory V	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres)	
FIND COMMENT OF THE PROPERTY O	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm)	
FOR SECTION OF SECTION	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW)	
Flect Fruit State	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh)	
Flect Flect V V C F F D III T B B C S E C C C C C C C C C C C C C C C C C	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves	
F VV CC F F CAVI	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves o of shelf positions	
FOR SERVICE OF SERVICE	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves o of shelf positions elescopic shelves	
Flect Flet Flect Flect Flect Flet Flet Flet Flet Flet Flet Flet Fle	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves o of shelf positions elescopic shelves sable area of shelves (WxD mm)	
Flect VV VV CC FF DD III TT BB CC SC EE Cavi A U CC P P E N N T U CC C	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves o of shelf positions elescopic shelves sable area of shelves (WxD mm) oven light	
FOR SET	ariable rate gas grill onventional gas oven tric oven/grill ixed rate electric grill ariable rate electric grill ariable rate dual circuit electric grill onventional electric oven anned electric oven efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres) avity dimensions (HxWxD mm) ower (kW) nergy consumption (Kwh) o of shelves o of shelf positions elescopic shelves sable area of shelves (WxD mm)	Glass/Metal

	Viewing window	
	Door opening	Drop Down
Timer	-	
	Cook to off programmable timer	No
	Analogue clock/programmer	V
	LED clock/minute minder	Yes
	LED clock/programmer Electronic clock / programmer	
	Touch Control programmer	
Featu	, ,	
- Cutu	Fascia cooling system	Yes
	Integrated splashback	, , , ,
	Rotisserie	
	Adjustable feet	Yes
	Rear wheels	No
Acces	sories (included)	
	Removable cast griddle plate	
	Wok cradle	
	Grillpan/trivet	Yes
	Grillpan handle - metal Roasting tin	Yes
	LPG Conversion kit (available separately)	
Remo	vable Parts (for cleaning)	
ixemo	Hob burners	Yes
	Pan supports	Yes
	Inner door glass	
	Shelves	Yes
	Shelf runners	Yes
Instal		
	Gas type	Nat Gas
	Gas inlet type	1/2" BSP female
	Gas inlet position	Rear right
	LPG convertible	Von
	Electrical connection Supply voltage	Yes 240V
	Total electrical power load (kW)	2400
	Total gas power load (kW)	22.4kw
	Fuse size (A)	13
	Fitted 3 pin plug	Yes
Dimer	nsions	
Pa	cked	
	Height (mm)	1035
	Width (mm)	1130
	Depth (mm)	720
	Weight (kg)	89
Pro	oduct	000,020
	Height (mm)	900-930
	Width (mm) Depth (mm)	996 600
	Weight (kg)	82
Produ	ct Supply Information	02
. I ouu	Country of origin	UK
	Palette quantity	2
	Layer quantity	1
	No. layers	1
Finish	es & codes	
Co	lour 1	Stainless Steel
	SKU code	444411727
	EAN code	5052263117273
	AS400/Aurora model description	BEL COOKCENTRE X100G STA
	Exclusive	
Со	lour 2	Professional (SS)
	SKU code	444411726
	EAN code	5052263117266
	AS400/Aurora model description	BEL COOKCENTRE X100G PROF ST
	Exclusive	D. .
Со	lour 3	Black
	SKU code	444411728
	EAN code	5052263117280
	AS400/Aurora model description Exclusive	BEL COOKCENTRE X100G BLK
	COMMENTS	
	COMMENTS 09/01/2023	