	nge	
ʁran	d and Model	Dalling
	Brand	Belling Cookcentre
	Model	90G
Sumi	mary Product description (as in brochure)	90cm Gas Range Cooker
	Product Type	Range Cooker
	Fuel	Gas
	Number of ovens	2
	Warranty period	1 year
	International market	
	Range Overview	With its contemporary looks, all the size and fuel options you could even need and a stylish choice of finished the Cookcentre Collection has turned out beautifully. The result is a perfectly engineered cooker, that help you turn out the perfect mean every time.
	Product Overview	90cm Gas range cooker with a 5 burner gas hob, cast iron pan supports, conventional main oven dedicated variable rate gas grill an large capacity fanned electric tall oven. Also features an LED touch control programmable timer with a easy to read display. A/A rated energy efficiency
Key i	Features:	Five burners including 4Kw Power
	Key Feature 1	Wok Open door grilling with variable ga
	Key Feature 2	grill
	Key Feature 3	Conventional Gas Oven
	Key Feature 4	Tall Fanned Electric Oven
	Key Feature 5	Works on 13Amp standard plug connection
Hob l	 ayout	
	(diagram to be assigned)	2 5 3 1 4
Cavit	y layout	
	(diagram to be assigned)	2 3
Hob		
	Hob summary	5 Gas burners
	No of burners/elements	5
G	as hob	<u> </u>
	Burner 1 (kW)	Medium (2.0)
	Burner 2 (kW)	Small (1.0)
	Burner 3 (kW)	Wok (4.0)
	Burner 4 (kW)	Large (3.0)
1	Burner 5 (kW)	Medium (2.0)
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	. ,	
	Enamel pan supports	V.
	Enamel pan supports Cast iron pan supports	Yes
	Enamel pan supports Cast iron pan supports Push button ignition	Yes Yes
	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition	Yes
	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off	
	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid ectric hob	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid ectric hob Element 1 (kW)	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid lectric hob Element 1 (kW) Element 2 (kW)	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid Lectric hob Element 1 (kW) Element 2 (kW) Element 3 (kW)	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid lectric hob Element 1 (kW) Element 2 (kW) Element 3 (kW)	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid lectric hob Element 1 (kW) Element 2 (kW) Element 3 (kW) Element 4 (kW)	Yes
EI	Enamel pan supports Cast iron pan supports Push button ignition Automatic ignition Flame safety device Glass lid with auto shut off Cast lid lectric hob Element 1 (kW) Element 2 (kW) Element 3 (kW)	Yes

	Touch control	
	Digital power display	
	Keep warm function	
	Pan detection	
	Pan overheat detection	
	Child lock	
	Boost function	
	Timer Function	
	Bridge Function	
	Easy clean ceramic glass surface	
Cavity		
	Position	Top left
	Main/second/third/fourth oven	C.:III
	Function	Grill
	Fuel No. of functions	Gas
		1
	Programmable oven	
Ga	s oven/grill	
	Fixed rate gas grill Variable rate gas grill	Yes
		Yes
	Open Door Grilling	res
Fla	Conventional gas oven	
Ele	ectric oven/grill	
	Fixed rate electric grill	
	Fixed rate dual circuit electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	
	Defrost Intensive bake (ten, bettem % fan)	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	
C	Energy rating	
Ca	vity features	25
	Actual capacity (litres)	35 24
	Usable capacity (litres)	
	Usable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	Power (kW)	Grill (2.4)
	` '	. ,
	Energy consumption (Kwh)	
	No of shelves	1
	No of shelf positions	3
	Telescopic shelves	407
	Usable area of shelves (WxD mm)	407mm x 307mm
	Oven light	
	Easy clean enamel	Yes
	Door type	Glass
	Door glazing	Single
	Viewing window	Yes Drop down
C	Door opening	Drop-down
Cavity		Datta va IaG
	Position Main (see and 4 bind (fourth average)	Bottom left
	Main/second/third/fourth oven	Main Conventional Oven
	Function	Conventional Oven
	Fuel No. of functions	Gas
	No. of functions	1 No
_	Programmable oven	No
Ga	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	Voc
	Conventional gas oven	Yes
Ele	ectric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill Conventional electric oven	
	Fanned electric oven	
	Defrost	
	Intensive bake (top, bottom & fan)	
	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	
	Slow cook	No
		A NO
C	Energy rating vity features	Α
La'	Actual capacity (litres)	64
	Usable capacity (litres)	60
	Usable Cavity dimensions (HxWxD mm)	350 x 420 x 315
	, , ,	2.5kw
	Power (kW) Energy consumption (Kwh)	2.5KW 1.51Kwh (Conventional)
	No of shelves	2
	No of shelf positions	<u>2</u> 5
1	וזיט טו אוכוו שטאונוטווא	J

	Telescopic shelves	
	Usable area of shelves (WxD mm)	407mm x 307mm
	Oven light	Yes
	Easy clean enamel	Yes
	Door type	Glass
	Door glazing	Double
	Viewing window	Yes
	Door opening	Side opening
avity		5.a.c 5pcg
	Position	Right
	Main/second/third/fourth oven	Second
	Function	Tall Fanned Oven
	Fuel	Electric
	No. of functions	3
		 No
<u> </u>	Programmable oven	INO
Ga	s oven/grill	
	Fixed rate gas grill	
	Variable rate gas grill	
	Conventional gas oven	
Ele	ectric oven/grill	
	Fixed rate electric grill	
	Variable rate electric grill	
	Variable rate dual circuit electric grill	
	Conventional electric oven	
	Fanned electric oven	Yes
	Defrost	Yes
	Intensive bake (top, bottom & fan)	
-	Top heat only	
	Base heat only	
	Base heat with fan	
	Grill with fan	V
_	Slow cook	Yes
	Energy rating	Α
Ca	vity features	
	Actual capacity (litres)	91
	Usable capacity (litres)	88
	Usable Cavity dimensions (HxWxD mm)	620 x 350 x 395
	Power (kW)	2.5
		
	Energy consumption (Kwh)	0.94Kwh (Forced Air)
	No of shelves	3
	No of shelf positions	25
	Telescopic shelves	
	·	225mm v 245mm
	Usable area of shelves (WxD mm)	335mm x 345mm
	Oven light	Yes
_	Easy clean enamel	Yes
	Door type	Glass/Metal
	Door glazing	Double
1	Viewing window	Yes
	Door enoning	Side opening
	Door opening	
avity		•
avity		·
avity	Position	·
avity	Position Main/second/third/fourth oven	·
avity	Position Main/second/third/fourth oven Function	
	Position Main/second/third/fourth oven Function Fuel	
	Position Main/second/third/fourth oven Function Fuel s oven/grill	
	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill	
	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven	
Ga	Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Extric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan)	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook	
Ga	Position Main/second/third/fourth oven Function Fuel Is oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Interest electric grill Variable rate electric grill Variable rate dual circuit electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features	
Ga	Position Main/second/third/fourth oven Function Fuel s oven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres)	
Ele	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres)	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm)	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW)	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ctric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh)	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ctric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh)	
Ga	Position Main/second/third/fourth oven Function Fuel soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven ectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelves Usable area of shelves (WxD mm)	
Ga	Position Main/second/third/fourth oven Function Fuel Soven/grill Fixed rate gas grill Variable rate gas grill Conventional gas oven Sectric oven/grill Fixed rate electric grill Variable rate electric grill Variable rate dual circuit electric grill Conventional electric oven Fanned electric oven Defrost Intensive bake (top, bottom & fan) Top heat only Base heat with fan Grill with fan Slow cook Energy rating vity features Actual capacity (litres) Usable capacity (litres) Cavity dimensions (HxWxD mm) Power (kW) Energy consumption (Kwh) No of shelves No of shelf positions Telescopic shelves	

Viewing window Door opening		15	
Timer Cook to off programmable timer Analogue clock/programmer LED clock/programmer LED clock/programmer Electronic clock / programmer Touch Control programmer Features Features Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Pasculation Gas inlet position Rar right LPG convertible Electrical connection Pasculation Rar right Rar Rar right Pasculation Rar right Rar Rar right Pasculation Rar right Rar Rar right Rar Rar right Rar Rar right Pasculation Rar right Rar		Door glazing	
Timer Cook to off programmable timer No Analogue clock/programmer LED clock/minute minder LED clock/programmer Electronic clock / programmer Features Fastiac cooling system Integrated splashback Rotisserie Adjustable feet Yes Rear wheels Accessories (included) Removable cast griddle plate Wok cradile Grillpan/trivet Yes Grillpan/trivet Yes Grillpan handle - metal Yes Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Yes Inner door glass Shelves Shelf runners Yes Inner door glass Shelves Shelf runners Yes Installation Gas type Gas inlet type Gas inlet type Gas inlet type (as inlet gook of the poor load (kW) Total gas power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin pilug Packed Height (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) Pools SKU code AS400/Aurora model description Exclusive Coloum 3 SKU code AS400/Aurora model description Exclusive COMMENTS COMMENTS		-	
Cook to off programmable timer Analogue clock/programmer LED clock/minute minder LED clock/minute minder LED clock/programmer Flectronic clock / programmer Flectronic clock / programmer Features Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan handle - metal Resource of the control of the			
Analogue clock/programmer LED clock/minute minder LED clock/programmer Electronic clock / programmer Features Fasca cooling system Integrated splashback Rotisserie Adjustable feet Agenovable cast griddle plate Wok cradile Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Yes Installation Gas inlet position Gas liet type Gas inlet position Rear right LPG convertible Electrical connection Electrical connection Supply voltage Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Width (mm) Depth (mm) Shelves Colour 1 SKU code A5400/Aurora model description Erclusive Colour 2 SKU code A5400/Aurora model description Erclusive Colour 3 SKU code A5400/Aurora model description Erclusive Colour 2 Colour 3 SKU code A5400/Aurora model description Erclusive Colour 3 SKU code A5400/Aurora model des	Timer		
LED clock/minute minder LED clock/programmer Electronic clock / programmer Touch Control programmer Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Pas Pas Pas Pan supports Pas			No
LED clock/programmer Electronic clock / programmer Touch Control programmer Touch Control programmer Features Fascia cooling system Yes Integrated splashback Rotisserie Adjustable feet Rear wheels Rear wheels Removable cast griddle plate Wok cradile Grillpan Inadile - metal Yes Grillpan Inadile - metal Yes Rossing tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Yes Inner door glass Shelves Yes Inner door glass Shelves Yes Shelf runners Yes Inner door glass Shelves Yes Shelf runners Yes Inner door glass Shelves Yes Shelf runners Yes Inner door glass Shelves Yes Shelf runners Yes Inner door glass Shelves Yes Shelf runners Yes Inner door glass Inner door gla			
Electronic clock / programmer Touch Control programmer Features Fascia cooling system Yes Integrated splashback Rotisserie Adjustable feet Yes Rear wheels Adjustable feet Yes Rear wheels Adjustable feet Yes Grillpan handle - metal Yes Grillpan handle - metal Yes Roasting tin I.PG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Yes Inner door glass Shelves Yes Yes Shelf runners Yes		·	Yes
Features Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan handle - metal LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelf runners Installation Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Supply voltage Total electrical power load (kW) Fuse size (A) Total electrical power load (kW) Fuse size (A) Filted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Width (mm) Depth (mm) Weight (kg) Product Height (kg) Product Quantity Laver Qua			
Features Fascia cooling system Integrated splashback Rotisserie Adjustable feet Rear wheels Removable cast griddle plate Wok cradle Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Installation Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Gas inlet position Total gas power load (kW) Total ghour for displant from the part of the product supply Information Depth (mm) Packed Height (mm) Depth (mm) Depth (mm) Product Unply Information Country of origin Palete quantity LPG colover model description EECLOUR 2 SKU code AS400/Aurora model description EECLOUR 2 SKU code AS400/Aurora model description EECLOUR 2 EAN code SSUCO BELC CONCENTRE X90G BLK EXclusive Colour 3 SKU code AS400/Aurora model description EECLOOKCENTRE X90G BLK EXclusive Colour 3 SKU code AS400/Aurora model description EECLOOKCENTRE X90G PROF ST/A EACLOOKCENTRE X90G PROF ST/A EACLOOKCENTRE X90G PROF ST/A EACLOOKCENTRE X90G BLK COMMENTS			
Fascia cooling system Yes Integrated splashback Rotisserie Adjustable feet Yes Rear wheels Yes Grillpan/trivet Yes Rear wheels Yes Rear with the third t			
Integrated splashback Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradie Grilipan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Test (as inlet position LPG convertible Electrical connection LPG convertible Electrical connection Supply voltage Total electrical pone load (kW) Total electrical pone load (kW) Fuse size (A) Total electrical pone load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Width (mm) Depth (mm) Weight (kg) Product Leight (sg) Product Supply Information Country of origin Country of origin Country of origin LNA Exclusive Colour 3 SKU code AS400/Aurora model description Exclusive COMMENTS Exclusive COMMENTS	Featu		
Rotisserie Adjustable feet Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan handle - metal Per Conversion ikt (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Yes Inner door glass Shelf runners Per Shelf runners Installation Gas type Aga inlet type Gas inlet type ILPG convertible Electrical connection Supply voltage Electrical connection Fitted 3 pin plug Pitted 3 pin plug Pitted 5 pin plug Product Height (mm) Depth (mm)			Yes
Adjustable feet Rear Wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Sheler unners Yes Installation Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Yes Supply voltage Total electrical power load (kW) Total electrical power load (kW) Total electrical power load (kW) Fuse size (A) Total electrical power load (kW) Fuse size (A) Width (mm) Depth (mm) Weight (kg) Product Helght (mm) Weight (kg) Product Helght (mm) Weight (kg) Product Helght (mm) Source Source Colour 1 SKU code LAN code AS400/Aurora model description Ecclusive Colour 3 SKU code AS400/Aurora model description Ecclusive COMMENTS			
Rear wheels Accessories (included) Removable cast griddle plate Wok cradle Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Installation Gas injught position LPG Conversion Gas injught position Rear right LPG Conversion Gas injught position Rear right LPG Convertible Electrical connection Supply voltage Total electrical power load (kW) Total electrical power load (kW) Total agas power load (kW) Total agas power load (kW) Total gas power load (kW) Total gas power load (kW) Total gas power load (kW) Resce Height (mm) Depth (mm) Depth (mm) Rear right Rear right Rear right Packed Height (mm) Depth (mm) Depth (mm) Rear right Rear r		Rotisserie	
Accessories (included) Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelves Shelf runners Yes Shelves Shelf runners For sinity of sinit			Yes
Removable cast griddle plate Wok cradle Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelives Shelf runners Yes Installation Gas type Nat Gas Gas inlet type IPG convertible Electrical connection Supply voltage Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Pressive (A) Height (mm) Depth (mm) Bought (kg) Product Usply Information Country of origin Palette quantity LPA (SWL code AS400/Aurora model description Exclusive COlour 3 Black SKU code AS400/Aurora model description Exclusive COMMENTS		111001	
Wok cradle Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Syes Shelves Shelf runners Fristallation Gas type Gas inlet type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply woltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Dimensions Packed Height (mm) Depth (mm) Siss Product Height (mm) Depth (mm) Depth (mm) Depth (mm) Bought (kg) Product Height (mm) Bought (kg) Foliate Beach Supply Information Country of origin Country of origin Country of origin Palette quantity Layer quantity Layer quantity Layer quantity Decomposition Exclusive Colour 2 Professional (SS) SKU code AS400/Aurora model description Exclusive Colour 3 Black SKU code AS400/Aurora model description Exclusive COMMENTS	Acces		
Grillpan/trivet Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Yes Installation Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Fuse size (A) Fitted 3 pin plug Product Height (mm) Depth (- '	
Grillpan handle - metal Roasting tin LPG Conversion kit (available separately) Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Yes Inner door glass Shelves Shelf runners Yes Installation Gas type Removable Parts (Argential State Steel Gas inlet position Gas type Gas inlet position Rear right LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Packed Height (mm) Width (mm) Depth (mm) Swidth (mm) Depth (mm) Depth (mm) Depth (mm) Bound (MW) Fitted 3 pin plug Bracked Height (Mm) Bound (Midth (M		Wok cradle	
Removable Parts (for cleaning) Hob burners Yes Pan supports Yes Inner door glass Shelves Yes Shelf runners Yes Installation Gas type Nat Gas Gas inlet position Rear right LPG convertible Electrical connection Yes Supply voltage 240V Total electrical power load (kW) 16.8kw Fuse size (A) 13 Fitted 3 pin plug Yes Dimensions Packed Height (mm) 1030 Depth (mm) 720 Weight (kg) 85 Product Height (mm) 900 Depth (Yes
Removable Parts (for cleaning) Hob burners Pan supports Inner door glass Shelves Shelf runners Finishes Rodes Height (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) Weight (kg) Product Height (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) Depth (mm) SkU code SkU code SkU code SkU code SkU code As400/Aurora model description Ekclusive Colour 3 SkU code As400/Aurora model description Ekclusive Colour 3 Ski code Ski pass Shelves Yes Yes Syes Yes Syes Nat Gas Fes Rear right Nat Gas Skas Female Rear right Nes Gas inlet type Inlers Bernale Rear right Nat Gas Skye (A) 1,2" BSP female Rear right Nat Gas Skye (A) Inlers Bernale Rear right Nat Gas Skye (A) Inlers Steel Inler		Grillpan handle - metal	Yes
Removable Parts (for cleaning) Hob burners Pan supports Pan supports Pan supports Per Shelves Shelves Shelves Shelr runners Pan supports Per Shelf runners P			
Removable Parts (for cleaning) Hob burners Pan supports Pan supports Pan supports Per Shelves Shelves Shelves Shelr runners Pan supports Per Shelf runners P		LPG Conversion kit (available separately)	
Hob burners Yes Pan supports Yes Inner door glass Shelves Yes Shelf runners Yes Installation Gas type Nat Gas Gas inlet type 1/2" BSP female Gas inlet position Rear right LPG convertible Electrical connection Yes Supply voltage 240V Total electrical power load (kW) 2.5kw Total gas power load (kW) 16.8kw Fuse size (A) 13 Fitted 3 pin plug Yes Dimensions Packed Height (mm) 1035 Width (mm) 1035 Width (mm) 200930 Weight (kg) 85 Product Height (mm) 900-930 Width (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 1 1 No. layers 1 SKU code 444411724 EAN code 5052263117242 EAN code 5552263117235 AS400/Aurora model description Exclusive Colour 3 Black COOMENTS BEL COOKCENTRE X90G BLK EXCLUSIVE EAN code 5552263117259 EXCLUSIVE EAN code 444411725 EAN code 5552263117259 EXCLUSIVE EAN code 6506 COOKCENTRE X90G BLK EXCLUSIVE EAN code 65052263117259 EXCLUSIVE COMMENTS	Remo		
Inner door glass Shelves Shelf runners Shelves Shelf runners Shelf runners Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Total gas power load (kW) Fuse size (A) Intelectrical power load (kW) Intelectrical power load			Yes
Inner door glass Shelves Shelf runners Shelves Shelf runners Shelf runners Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Total gas power load (kW) Fuse size (A) Intelectrical power load (kW) Intelectrical power load		Pan supports	Yes
Shelves			
Installation Gas type Gas inlet position Electrical connection Supply voltage Fuse size (A) Fitted 3 pin plug Product Height (mm) Depth (mm)			Yes
Installation Gas type Gas inlet type Gas inlet position LPG convertible Electrical connection Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Packed Height (mm) Depth (mm) Source Supply Information Country of origin Country of origin SKU code EAN code SCOLOUR 1 SKU code EAN code SKU			
Gas type	Instal		
Gas inlet type			Nat Gas
Gas inlet position LPG convertible Electrical connection Supply voltage Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Packed Height (mm) Depth (mm) Sugher (kg) Product Height (kg) Product Height (kg) Fuse Product Height (kg) Fuse Product Supply Information Country of origin Country of origin Country of origin SkU code			
LPG convertible Electrical connection Supply voltage Supply voltage Total electrical power load (kW) Total gas power load (kW) Fuse size (A) Fitted 3 pin plug Packed Height (mm) Height (mm) Depth (mm) Height (kg) Product Height (mm) Depth (mm) Boud Depth (mm) Depth (mm) Boud Depth (mm) Depth (mm) Boud Depth			· · · · · · · · · · · · · · · · · · ·
Electrical connection		<u> </u>	
Supply voltage			Yes
Total electrical power load (kW) 2.5kw Total gas power load (kW) 16.8kw Fuse size (A) 13 Fitted 3 pin plug Yes Dimensions Packed Height (mm) 1035 Width (mm) 1030 Depth (mm) 720 Weight (kg) 85 Product Height (mm) 900 Depth (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Stainless Steel SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA Exclusive Colour 3 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE EAN CODE 5052263117259 AS400/			
Total gas power load (kW)			
Fuse size (A)			
Fitted 3 pin plug Yes			
Dimensions Packed Height (mm) 1035 Width (mm) 1030 Depth (mm) 720 Weight (kg) 85 Product Height (mm) 900-930 Width (mm) 900 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Tinishes & codes Colour 1 Stainless Steel 444411724 EAN code AS400/Aurora model description Exclusive EAN code 5052263117242 EAN code 544411723 EAN code 544411725 EAN code 54400/Aurora model description Exclusive EAN code 5052263117235 BEL COOKCENTRE X90G PROF STAER SKU code 544411725 EAN code 5052263117259 EAN code		` '	
Packed Height (mm) 1035 Width (mm) 1030 Depth (mm) 720 Weight (kg) 85 Product 900-930 Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information UK Country of origin UK Palette quantity 1 No. layers 1 Finishes & codes 1 Colour 1 Stainless Steel SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA EXclusive Professional (SS) SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA EAN code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive Exclusive	Dimor		165
Height (mm)			
Width (mm) 1030 Depth (mm) 720 Weight (kg) 85 Product Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 1 No. layers 1 Finishes & codes SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA EXclusive EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive EAN code 5052263117259 BEL COOKCENTRE X90G BLK Exclusive Exclusive Exclusive EAN code 5052263117259 BEL COOKCENTRE X90G BLK Exclusive Exclusive EAN code COOKCENTRE X90G BLK Exclusive EAN code	Га		1035
Depth (mm) 720 Weight (kg) 85 85 Product Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 1 1 1 1 1 1 1 1			
Weight (kg) 85 Product Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Stainless Steel SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK EXCLUSIVE COLOUR 3 BLACK SKU code 5052263117259 BEL COOKCENTRE X90G BLK EXCLUSIVE COMMENTS		` '	
Product Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Stainless Steel SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code 5052263117235 EAN code 5052263117259 EXCLUSIVE Colour 3 Black SKU code 444411725 EAN code 5052263117259 EAN code 5052263117259 EAN code 65052263117259 EAN code 65052263117259 EAN code 75052263117259 EXCLUSIVE			_
Height (mm) 900-930 Width (mm) 900 Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive	D		05
Width (mm) Depth (mm) Depth (mm) Weight (kg) Product Supply Information Country of origin Palette quantity Layer quantity No. layers Finishes & codes Colour 1 Stainless Steel SKU code SKU code SA400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code AS400/Aurora model description EAN code SSKU code BEL COOKCENTRE X90G STA Exclusive Colour 2 Professional (SS) SKU code SUBJECT ON SECTION OF STAIN ON S	Pro		000.030
Depth (mm) 600 Weight (kg) 78 Product Supply Information Country of origin UK Palette quantity 2 Layer quantity 1 No. layers 1 Finishes & codes Colour 1 Stainless Steel SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code 5052263117235 EAN code 5052263117235 EAN code 5052263117235 EAN code 5052263117259 EXClusive Colour 3 Black SKU code 444411725 EAN code 5052263117259		- , ,	
Product Supply Information Country of origin Country of origin Palette quantity Layer quantity No. layers Colour 1 Stainless Steel SKU code 444411724 EAN code AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code SSU code 444411723 EAN code Colour 2 Professional (SS) SKU code SUU code 444411723 EAN code SSU code 444411723 EAN code SSU code SUU code 444411723 EAN code SSU code SUU code		` ,	
Product Supply Information Country of origin Palette quantity Layer quantity No. layers Finishes & codes Colour 1 Stainless Steel SKU code 444411724 EAN code AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code SO52263117242 Professional (SS) SKU code 444411723 EAN code SO52263117235 BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code 444411725 EAN code SSKU code SO52263117259 AS400/Aurora model description Exclusive Colour 3 Black SKU code SO52263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS			
Country of origin Palette quantity Layer quantity No. layers Colour 1 Stainless Steel SKU code SKU code SAS400/Aurora model description EAN code SKU code SKU code AS44411724 EAN code AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code SUBJECT COKCENTRE X90G STA Exclusive Colour 2 Professional (SS) EAN code SUBJECT COKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code SUBJECT COKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code SUBJECT COKCENTRE X90G BLK Exclusive COMMENTS			/8
Palette quantity Layer quantity No. layers 1 Finishes & codes Colour 1 SKU code SKU code AS400/Aurora model description Exclusive Colour 2 SKU code SUBJECT SAN CODE SKU code AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code AS400/Aurora model description Exclusive Colour 3 SKU code SUBJECT SAN CODE SKU code SUBJECT SAN CODE S	rrodu		102
Layer quantity No. layers Finishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code SUBJECTOR STA Exclusive Colour 3 SKU code EAN code SUBJECTOR STA Exclusive Colour 3 BEL COOKCENTRE X90G STA BEL COOKCENTRE X90G STA BEL COOKCENTRE X90G STA SKU code SUBJECTOR STA Exclusive BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code SUBJECTOR STA Exclusive Colour 3 Black SKU code SUBJECTOR STA Exclusive BEL COOKCENTRE X90G PROF STA Exclusive BEL COOKCENTRE X90G PROF STA Exclusive COMMENTS			
No. layers Finishes & codes Colour 1 SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code SKU code Professional (SS) SKU code 444411723 EAN code SKU code FAS400/Aurora model description Exclusive Colour 3 Black SKU code SKU code Colour 3 Black SKU code SKU code Colour 3 Black SKU code EAN code SKU code BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code SKU code BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code SKU code BEL COOKCENTRE X90G BLK Exclusive COMMENTS			
Finishes & codes Colour 1 SKU code SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code Frofessional (SS) SKU code EAN code S052263117235 EAN code SKU code EAN code EAN code S052263117235 BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code 444411725 EAN code SKU code SU code SKU code			
Colour 1 SKU code SKU code EAN code AS400/Aurora model description Exclusive Colour 2 SKU code EAN code SUU code Frofessional (SS) SKU code EAN code SUU code EXCLUSIVE Colour 3 Black SKU code EAN code SKU co			1
SKU code 444411724 EAN code 5052263117242 AS400/Aurora model description BEL COOKCENTRE X90G STA Exclusive Colour 2 Professional (SS) SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STA Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS			
EAN code AS400/Aurora model description Exclusive Colour 2 Professional (SS) SKU code EAN code AS400/Aurora model description EXCUSIVE COLOUR 3 SKU code COLOUR 3 SKU code BEL COOKCENTRE X90G PROF STA EXCUSIVE COLOUR 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description EXCUSIVE COMMENTS COMMENTS	Co		
AS400/Aurora model description Exclusive Colour 2 SKU code EAN code EAN code Exclusive Colour 3 SKU code Colour 3 SKU code SKU code Exclusive Colour 3 SKU code EAN code SKU code EAN code SKU code SUBJECT STATE BLAN code SKU code SUBJECT STATE BLAN code SUBJECT		SKU code	
Exclusive Colour 2 SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description Exclusive Colour 3 SKU code SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G PROF STATE Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS		EAN code	5052263117242
Exclusive Colour 2 SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description Exclusive Colour 3 SKU code SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G PROF STARM S		AS400/Aurora model description	BEL COOKCENTRE X90G STA
SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STATE Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS		·	
SKU code 444411723 EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STATE Exclusive Colour 3 Black SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS	Co	lour 2	Professional (SS)
EAN code 5052263117235 AS400/Aurora model description BEL COOKCENTRE X90G PROF STATE Exclusive Colour 3 SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS		SKU code	
AS400/Aurora model description Exclusive Colour 3 Black SKU code 444411725 EAN code AS400/Aurora model description Exclusive COMMENTS BEL COOKCENTRE X90G PROF STA			5052263117235
Exclusive Colour 3 SKU code SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description Exclusive COMMENTS			BEL COOKCENTRE X90G PROF STA
Colour 3 SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description Exclusive COMMENTS		· · · · · · · · · · · · · · · · · · ·	
SKU code 444411725 EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS			Black
EAN code 5052263117259 AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS	Co	-	
AS400/Aurora model description BEL COOKCENTRE X90G BLK Exclusive COMMENTS	Со	SKII code	777711//1
Exclusive COMMENTS	Co		
COMMENTS	Co	EAN code	5052263117259
	Co	EAN code AS400/Aurora model description	5052263117259
	Co	EAN code AS400/Aurora model description	5052263117259
09/01/2023	Co	EAN code AS400/Aurora model description Exclusive	5052263117259
09/01/2023	Co	EAN code AS400/Aurora model description Exclusive	5052263117259
	Co	EAN code AS400/Aurora model description Exclusive COMMENTS	5052263117259
	Co	EAN code AS400/Aurora model description Exclusive COMMENTS	5052263117259