Rai	nge	
Bran	d and Model	Dallin
	Brand	Belling
	Model	KENSINGTON 90GT
Sumi	mary	
	Product description (as in brochure)	90cm Gas Range Cooker
	Product Type Fuel	Range Cooker Gas
	Number of ovens	2
	Warranty period	1 year
	International market	,
	Range Overview	When it comes to the Kensington Collection tradition is the operative word. Charming traditional looks, combined with Belling's longstanding reputation for reliability, gives you a cooker that can take anything you throw at it, and still turn out a perfect performance.
	Product Overview	90cm Gas range cooker with a 5 burner gas hob, cast iron pan supports, conventional main oven, dedicated variable rate gas grill and large capacity fanned electric tall oven. Also features an LED touch control programmable timer with an easy to read display. A/A rated energy efficiency
Key F	Features:	
	Key Feature 1	Five burners including 4Kw Power Wok
	Key Feature 2	Open door grilling with variable gas grill
	Key Feature 3	Conventional Gas Oven
	Key Feature 4	Tall Fanned Electric Oven
	Key Feature 5	Works on 13Amp standard plug connection
Hob	layout	
ו שטו	layout	
	(diagram to be assigned)	2 5 3 1 4
C=-"	ny lavout	
cavit	y layout	
	(diagram to be assigned)	3
Hob		
TUD	Hob summary	5 Gas burners
	No of burners/elements/zones	5
G	as hob	
	Burner 1 (kW)	Medium (2.0)
_	Burner 2 (kW)	Small (1.0)
	Burner 3 (kW) Burner 4 (kW)	Wok (4.0) Large (3.0)
	Burner 5 (kW)	Medium (2.0)
	Burner 6 (kW)	
	Burner 7 (kW)	
	Burner 8 (kW)	
	Enamel pan supports Cast iron pan supports	Yes
	Push button ignition	Yes
	Automatic ignition	
	Flame safety device Glass lid with auto shut off	Yes
E	Cast lid	
	Element 1 (kW)	
	Element 2 (kW)	
	Element 3 (kW)	
	Element 4 (kW)	
	Element 5 (kW)	
	Element 6 (kW)	
	Element 7 (kW)	

Di	igital power display	
Ke	eep warm function	
Pa	an detection	
Pa	an overheat detection	
	hild lock	
	oost function	
	ridge Function	
	imer function	
	asy clean ceramic glass surface	
avity 1		
Po	osition	Top left
М	lain/second/third/fourth oven	·
	unction	Grill
	uel	Gas
	o. of functions	1
		1
	rogrammable oven	
	oven/grill	
	ixed rate gas grill	
	ariable rate gas grill	Yes
О	pen Door Grilling	Yes
Co	onventional gas oven	
Elect	tric oven/grill	
	ixed rate electric grill	
	ixed rate dual circuit electric grill	
	•	
	ariable rate electric grill	
	ariable rate dual circuit electric grill	
	onventional electric oven	
	anned electric oven	
De	efrost	
In	ntensive bake (top, bottom & fan)	
	op heat only	
	ase heat only	
	ase heat with fan	
	rill with fan	
	low cook	
	nergy rating	N/A
Cavit	ty features	
Ad	ctual capacity (litres)	35
U:	sable capacity (litres)	24
	sable Cavity dimensions (HxWxD mm)	180 x 420 x 430
	, , , , , , , , , , , , , , , , , , , ,	100 X 120 X 150
Po	ower (kW)	Grill (2.4)
Ε,	nergy consumption (Kwh)	N/A
	o of shelves	· .
		1
	o of shelf positions	3
	elescopic shelves	
Us	sable area of shelves (WxD mm)	407mm x 307mm
O,	ven light	
	asy clean enamel	Yes
	oor type	Metal
	oor glazing	1 1 2 2 2 2
	iewing window	No
	oor opening	Drop-down
		Drop-down
avity 2		
	osition	Bottom left
M	lain/second/third/fourth oven	Main
⊏.	unction	Conventional Oven
۲۱	unction	Conventional Oven
Fı	uel	Gas
	o. of functions	1
	rogrammable oven	No
	oven/grill	INO
	· •	
	ixed rate gas grill	
	ariable rate gas grill	
	onventional gas oven	Yes
	tric oven/grill	
	ixed rate electric grill	
	ariable rate electric grill	
	ariable rate dual circuit electric grill	
	onventional electric oven	
C	The second cooling of	
	anned electric oven	
Fa	anned electric oven	Na
Fa De	efrost	No
Fa De In	efrost ntensive bake (top, bottom & fan)	No
Fa De In To	efrost ntensive bake (top, bottom & fan) op heat only	No
Fa De In To Ba	efrost ntensive bake (top, bottom & fan) op heat only ase heat only	No
Fa De In To Ba	efrost ntensive bake (top, bottom & fan) op heat only	No
Fa Do In To Ba Ba	efrost ntensive bake (top, bottom & fan) op heat only ase heat only	No
Fa Do In To Ba Ba	efrost Intensive bake (top, bottom & fan) Intensive bake (top, bottom & fan) Intensive bake (top, bottom & fan) Intensive bake fan) Intensive bake fan	
Fa Do In To Ba Ba Gi	efrost Intensive bake (top, bottom & fan) Intensive	No
Fa Do In To Ba Ba Gi SI	efrost Intensive bake (top, bottom & fan) Intensive	
Fa Do In To Ba Ba Go Sl Er	efrost Intensive bake (top, bottom & fan) Intensive	No A
Fa Do In To Ba Ba Go Sl Er Cavit	efrost Intensive bake (top, bottom & fan) Intensive	No A 64
Fa Do In To Ba Ba Ba Go Si Er Cavit	efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres)	No A 64 60
Fa Do In To Ba Ba Ba Go Si Er Cavit	efrost Intensive bake (top, bottom & fan) Intensive	No A 64
Fa Do In To Ba Ba Go Sl Er Cavit	efrost ntensive bake (top, bottom & fan) op heat only ase heat only ase heat with fan rill with fan low cook nergy rating ty features ctual capacity (litres) sable capacity (litres)	No A 64 60
Fa Do In To Ba Ba Go Sl Er Cavit Ac Us	efrost Intensive bake (top, bottom & fan) Intensive bake (top, bottom & fan) Iop heat only Iase heat only Iase heat with fan Iow cook Inergy rating Iow features Iow features Iow cook Inergy rating Iow features Iow	No A 64 60 350 x 420 x 315
Fa Do In To Ba Ba Ba Go Si Si Err Cavit Ad Us	efrost Intensive bake (top, bottom & fan) Intensive bake heat with fan Intensive bake heat only Intensive bake (top, bottom & fan) Intensive bake heat only Intensive bake (top, bottom & fan)	No A 64 60 350 x 420 x 315 2.5kw 1.48 kwh
Fa Do In To Ba Ba Go Sl Er Cavit Ac Us Pc Er No	efrost Intensive bake (top, bottom & fan) Intensive bake (top, bottom & fan) Iop heat only Iase heat only Iase heat with fan Iow cook Inergy rating Iow features Iow features Iow cook Inergy rating Iow features Iow	No A 64 60 350 x 420 x 315 2.5kw

Usable area of	shelves (WxD mm)	407mm x 307mm
Oven light		Yes
Easy clean ena	amel	Yes
Door type		Metal panel/glass viewing window
Door glazing		Double
Viewing windo	W	Yes
Door opening vity 3		Side opening
Position		Right
	hird/fourth oven	Second
Function	·	Tall Fanned Oven
Fuel		Electric
No. of function		3 No
Programmable Gas oven/grill	e oven	INO
Fixed rate gas	grill	
Variable rate of	gas grill	
Conventional		
Fixed rate elec		
Variable rate		
	lual circuit electric grill	
Conventional e		
Fanned electri	c oven	Yes
Defrost	(top bottom 0 for)	Yes
Top heat only	e (top, bottom & fan)	
Base heat only	,	
Base heat with		
Grill with fan		
Slow cook		Yes
Energy rating Cavity features		Α
Actual capacit	y (litres)	91
Usable capacit		86
	dimensions (HxWxD mm)	620 x 350 x 395
Power (kW)		2.5
Energy consur	nption (Kwh)	0.81Kwh (Forced Air)
No of shelves		3
No of shelf po		25
Telescopic she	elves	
Usable area of	shelves (WxD mm)	335mm x
Oven light	-	345mm Yes
Easy clean ena	amel	Yes
Door type		Metal
		rictal
Door glazing Viewing windo	MA/	No
Door opening	/VV	Side opening
/ity 4		2.00 07011119
Position		
	hird/fourth oven	
Function Fuel		
Gas oven/grill		
Fixed rate gas	grill	
Variable rate g	gas grill	
Conventional		
Fixed rate elec		
Variable rate		
	lual circuit electric grill	
Conventional e	electric oven	
Fanned electri	c oven	
Defrost	(top bottom & fan)	
Top heat only	e (top, bottom & fan)	
Base heat only	,	
Base heat with		
Grill with fan		
Slow cook		
Energy rating Cavity features		
Actual capacit	y (litres)	
Usable capacit	ry (litres)	
Cavity dimens	ions (HxWxD mm)	
Power (kW)	mation (Kush)	
Energy consur No of shelves	nption (Kwh)	
No of shelf po	sitions	
Telescopic she		
Usable area of	shelves (WxD mm)	
Oven light		
Easy clean ena	am al	

	Door glazing	
	Viewing window	
	Door opening	
imer	•	
	Cook to off programmable timer	No
	Analogue clock/programmer	
	LED clock/minute minder	Yes
	LED clock/programmer	
	Electronic clock / programmer	
	Touch Control programmer	
eatu		
	Fascia cooling system	Yes
	Integrated splashback	
	Rotisserie	
	Adjustable feet	Yes
	Rear wheels	No
cces	ssories (included)	
	Removable cast griddle plate	
	Wok cradle	Van
	Grillpan/trivet	Yes
	Grill pan handle - metal	Yes
	Roasting tin	
	LPG Conversion kit (available separately)	NI-
	Plinth Cover	No
emo	ovable Parts (for cleaning)	Voc
	Hob burners	Yes
	Pan supports	Yes
	Inner door glass	Ves
	Shelves Shelf ruppers	Yes
net-'	Shelf runners	Yes
ıstal		Nat Gas
	Gas type	
	Gas inlet type	1/2" BSP female
	Gas inlet position LPG convertible	Rear right
	Electrical connection	Yes
	Supply voltage	240V
	Total electrical power load (kW)	2.5kw
	Total gas power load (kW)	16.8kw
	Minimum Fuse Size (A)	13
	Fitted 3 pin plug	Yes
ima	nsions	103
	ncked	
	Height (mm)	1035
	Width (mm)	1030
	Depth (mm)	720
	Weight (kg)	83
Pr	roduct	
	Height (mm)	900-930
	Width (mm)	896
	Depth (mm)	600
	Weight (kg)	76
rodu	uct Supply Information	
	Country of origin	UK
	Palette quantity	2
	Layer quantity	1
	No. layers	1
	nes & codes	
Co	olour 1	
	SKU code	
	EAN code	
	AS400/Aurora model description	
	Exclusive	
Co	olour 2	
	SKU code	
	EAN code	
	AS400/Aurora model description	
	Exclusive	
	olour 3	Black
	SKU code	444411742
	EAN code	5052263117426
	AS400/Aurora model description	BEL KENSINGTON X90G BLK
	Exclusive	Currys
Co	olour 4	Cream
	SKU code	444411743
	EAN code	5052263117433
	AS400/Aurora model description	BEL KENSINGTON X90G CRM
	ASTOU/Aurora model description	Curno
	Exclusive	Currys
		Currys
		Currys
		Currys
	Exclusive	Currys
	Exclusive	Currys
	COMMENTS	Currys
	Exclusive	Currys